

Adapter for standard mounting rail mounting of the residual-current transformer
3UL23 up to 55 mm inside diameter



General technical data		
product designation		Adapters
reference code according to IEC 81346-2		B
Ambient conditions		
ambient temperature		
• during transport		-25 ... +60 °C
• during operation		-25 ... +60 °C
• during storage		-40 ... +85 °C
relative humidity during operation		95 %
installation altitude at height above sea level		2 000 m
Installation/ mounting/ dimensions		
width		10 mm
height		56.5 mm
depth		18.3 mm
mounting position		standing, on horizontal mounting surface
fastening method		snap-on mounting
Certificates/ approvals		
General Product Approval		Declaration of Conformity
		other

[Confirmation](#)



[Confirmation](#)

Further information

Siemens has decided to exit the Russian market (see here).

<https://press.siemens.com/global/en/pressrelease/siemens-wind-down-russian-business>

Siemens is working on the renewal of the current EAC certificates.

Please contact your local Siemens office on the status of validity of the EAC certification if you intend to import or offer to supply these products to an EAC relevant market (other than the sanctioned EAEU member states Russia or Belarus).

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/ic10>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3UL2900>

Cax online generator


<http://support.automation.siemens.com/WW/CAXorder/default.aspx?lang=en&mlfb=3UL2900>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3UL2900>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, EPLAN macros, ...)

http://www.automation.siemens.com/bilddb/cax_de.aspx?mlfb=3UL2900&lang=en



last modified:

3/29/2023 

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Siemens:

3UL2900