

product type designation



Antenna ANT795-4MC

ANT795-4MC IWLAN antenna with omnidirectional Characteristic; incl. N-Connect male plug straight; 3/5 dBi IP65 (-20-+60 °C), 2.4/5GHz Wi-Fi compliance and observe national approvals; direct mounting on SCALANCE W with N-Connect connection system; scope of delivery: 1x ANT795-4MC, compact instructions as hard copy German/English.

radio frequencies

type of wireless network / is supported	WLAN
operating frequency	
• for WLAN in 2.4 GHz frequency band	2.4 ... 2.4835 GHz
• for WLAN in 5 GHz frequency band 1	5.15 ... 5.35 GHz
• for WLAN in 5 GHz frequency band 2	5.725 ... 5.85 GHz
antenna gain compared to spherical radiator	
• of the WLAN antenna / in the 2.4 GHz frequency band	3 dB
• of the WLAN antenna / in the 5 GHz frequency band	5 dB

electrical data

impedance	50 Ω
polarization	linear vertical
radiation characteristic	omnidirectional
antenna gain compared to spherical radiator	
• of the WLAN antenna / in the 2.4 GHz frequency band	3 dB
• of the WLAN antenna / in the 5 GHz frequency band	5 dB
standing wave ratio (VSWR) / maximum	2
radiating angle of the antenna	
• in the 2.4 GHz frequency band / horizontal	360°
• in the 5 GHz frequency band / horizontal	360°
number of electrical connections / of the antenna	1
type of electrical connection / of the antenna	N-Connector
design of plug-in connection	male, straight
angle of inclination / downward / maximum	0°

mechanical data


material	
• of outer shell	Polycarbonate

ambient conditions

ambient temperature	
• during operation	-20 ... +65 °C
• during storage	-20 ... +65 °C
• during transport	-20 ... +65 °C
protection class IP	IP65

design, dimensions and weights

width	35 mm
height	160 mm
depth	13 mm
net weight	26 g
fastening method	

<ul style="list-style-type: none"> • mast mounting • wall mounting • roof mounting • directly on the device 	No No No Yes
product features, product functions, product components / general	
product feature / silicon-free	Yes
standards, specifications, approvals	
certificate of suitability <ul style="list-style-type: none"> • RoHS conformity 	Yes
product conformity	UL 94-HB
wireless approval	Current national approvals can be found on the Internet under www.siemens.com/funkzulassungen
reference code / according to IEC 81346-2:2019	TFB
further information / internet links	
internet link <ul style="list-style-type: none"> • to web page: selection aid TIA Selection Tool • to website: Industrial communication • to website: Industry Mall • to website: Information and Download Center • to website: Image database • to website: CAX-Download-Manager • to website: Industry Online Support 	http://www.siemens.com/snst http://www.siemens.com/simatic-net https://mall.industry.siemens.com http://www.siemens.com/industry/infocenter http://automation.siemens.com/bilddb http://www.siemens.com/cax https://support.industry.siemens.com
last modified:	4/28/2023 

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Siemens:

[6GK57954MC000AA3](#)