SIEMENS

Data sheet

US2:GFC324N



Siemens Low Voltage Circuit Protection General Duty Safety Switches. Type: ENCLOSED, SAFETY SWITCH Std: CSA V. Rating: 240V A. Rating: 200A Wattage: 4W No. Of Poles: 3P F. Rating: 60Hz Action: SINGLE THROW Material: STEEL Enclosure: TYPE 1. 2-3 point mounting holes. O. Cycles: 8000 O. Temperature: (-20F-120F) AMBIENT TEMPERATURE Environmental Conditions: INDOOR

| General technical data | |
|--|------------------------|
| principle of operation of the actuating element | SINGLE THROW |
| mechanical service life (operating cycles) typical | 8000 |
| number of poles | 3 |
| Electricity | |
| ampacity | 200 A |
| Switching capacity | |
| switching capacity active power | 4 W |
| Environmental conditions | |
| ambient temperature during operation maximum | 49 °C |
| ambient temperature during operation minimum | -29 °C |
| Model | |
| product brand name | Siemens |
| product type designation | ENCLOSED/SAFETY SWITCH |
| Mechanical Design | |
| design of the housing | TYPE 1 |
| material | STEEL |
| General product approval | |
| certificate of suitability | CSA |

last modified:

9/15/2021 🖸

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Siemens: GFC324N