## XGSZ12E1210

Ethernet copper cable, Radio frequency identification XG, M12/M12 D coded, 10 m



### Main

Range of Product	Telemecanique Radio frequency identification XG
Accessory / separate part category	Connection accessories
Accessory / Separate Part Type	Connecting cable
Product or Component Type	Ethernet copper cable
Product Compatibility	XGSZ33EIP XGSZ33ETH
Accessory / separate part destination	Ethernet network

#### Complementary

Cable length	32.81 ft (10 m)	
Transmission rate	100 Mbit/s	
Transmission support medium	2 twisted shielded pairs	
Communication network category	5e	
AWG Gauge	AWG 26	
Electrical connection	1 male connector, M12 straight 4 D coding 1 male connector, M12 straight 4	
Conductor material	Copper	
Cover Material	PUR	
Net Weight	0.95 lb(US) (0.43 kg)	

#### **Environment**

IP Degree of Protection	IP67
Standards	IEC 60754-1 ISO/IEC 11801 Ed.2, 2002 EIA/TIA-568

#### Ordering and shipping details

Category	22491-SENS,IDENTIFICATION DEVICE (XGK)
Discount Schedule	DS2
GTIN	3389119075664
Returnability	No
Country of origin	PL

#### **Packing Units**


· coming or mo	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.57 in (4 cm)
Package 1 Width	11.02 in (28 cm)
Package 1 Length	11.81 in (30 cm)
Package 1 Weight	15.91 oz (451 g)
Unit Type of Package 2	S02
Number of Units in Package 2	4
Package 2 Height	5.91 in (15 cm)
Package 2 Width	11.81 in (30 cm)
- Fackage 2 Widtii	11.01 III (30 CIII)

Package 2 Length	15.75 in (40 cm)
Package 2 Weight	4.71 lb(US) (2.138 kg)
Offer Sustainability	
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
Mercury free	Yes
RoHS exemption information	₫Yes

### Product data sheet Connections and Schema

# XGSZ12E1210

### Wiring Diagram



# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Telemecanique Sensors:

XGSZ12E1210