
Product data sheet Characteristics

XUZC250

Photoelectric sensors XU, accessory for sensor, adhesive reflector, 250x250mm



Main	
Range of Product	Telemecanique Photoelectric sensors XU
Accessory / separate part category	Reflective self-adhesive
Accessory / Separate Part Type	Reflector
Accessory / separate part destination	Standard reflex photo-electric sensor
Shape of reflector	Square
Sale per indivisible quantity	1

Complementary

Accessory dimension	250 x 250 mm
Thickness	0.08 in (2 mm)
Width	9.84 in (250 mm)
Length	9.84 in (250 mm)
Net Weight	0.88 lb(US) (0.4 kg)

Ordering and shipping details

0 11 0		
Category	22499-SENSORS ACCESSORIES	
Discount Schedule	DS2	
GTIN	3606480435928	
Returnability	Yes	
Country of origin	DE	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.47 in (1.200 cm)
Package 1 Width	9.96 in (25.300 cm)
Package 1 Length	10.04 in (25.500 cm)
Package 1 Weight	1.45 oz (41.000 g)
Unit Type of Package 2	S02
Number of Units in Package 2	20
Package 2 Height	5.91 in (15.000 cm)
Package 2 Width	11.81 in (30.000 cm)
Package 2 Length	15.75 in (40.000 cm)
Package 2 Weight	2.69 lb(US) (1.221 kg)

Offer Sustainability

California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
REACh Regulation	☑ REACh Declaration
REACh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	€Yes


Contractual warranty

Warranty	18 months

Product data sheet Dimensions Drawings

XUZC250

Dimensions



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Telemecanique Sensors:

XUZC250