

Additional Resources: Product Page

date 09/12/2024

page 1 of 4

MODEL: CBLT-UA-UC-1WT | DESCRIPTION: USB CABLE

FEATURES

- USB 3.2 Gen 1
- type A male to type C male
- 1 meter
- TPE jacket
- · halogen free





SPECIFICATIONS


parameter	conditions/description	min	typ	max	units	
USB standard	USB 3.2 Gen 1					
rated voltage			20		Vdc	
rated current				3	А	
conductor resistance				5	Ω	
insulation resistance	at 300 Vdc	10			МΩ	
operating temperature		-20		80	°C	
storage temperature		-20		80	°C	
flammability rating	UL94V-O					
RoHS	yes					

MECHANICAL DRAWING

units: mm tolerance: X.X ±0.5 mm X.XX ±0.3 mm X.XXX ±0.1 mm unless otherwise noted

critical dimension: *

ITEM	DESCRIPTION	MATERIAL	PLATING/COLOR
1	cable	no UL OD: 5.5±0.15 mm TPE	white
2	connector 2	USB 3.2 Gen 1 Type A	insulator: blue shell: nickel term.: gold flash
3	connector 1	USB 3.2 Gen 1 Type C	insulator: black shell: nickel term.: gold flash
4	over mold	TPE	white




PACKAGING

units: mm

Carton Size: 546 x 355 x 186 mm

Carton QTY: 100 pcs



REVISION HISTORY

rev.	description	date
1.0	initial release	12/11/2018
1.01	brand update	02/17/2020
1.02	modified design, changed factory	01/28/2022
1.03	updated USB standard	05/10/2022
1.04	logo, datasheet style update	08/05/2022
1.05	CUI Devices rebranded to Same Sky	09/12/2024

The revision history provided is for informational purposes only and is believed to be accurate.



Same Sky offers a one (1) year limited warranty. Complete warranty information is listed on our website.

Same Sky reserves the right to make changes to the product at any time without notice. Information provided by Same Sky is believed to be accurate and reliable. However, no responsibility is assumed by Same Sky for its use, nor for any infringements of patents or other rights of third parties which may result from its use.

Same Sky products are not authorized or warranted for use as critical components in equipment that requires an extremely high level of reliability. A critical component is any component of a life support device or system whose failure to perform can be reasonably expected to cause the failure of the life support device or system, or to affect its safety or effectiveness.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Same Sky:

CBLT-UA-UC-1WT