



## Cable entry grommet type KDT/Z-Jumbo



### Product information

2-piece cable entry grommet in connection with cable entry system KDL-Jumbo

With our grommet KDT/Z- Jumbo cables from 25-65 mm can be inserted  
Grommet is placed and mounted together with the frame halves of the KDL-Jumbo around the cable  
Quick and easy strain relief with cable ties is possible

Thermal stability: -30 °C – +100 °C  
Fire classification: V0  
Material: TPE-S  
RoHS compliant  
UV resistant  
Made in Germany

### Information, conformities and approvals



Article	Order No.	Color	for Ø mm	No. of openings	PU pcs.
	87176226	Black	25 - 30	1	1
KDT/Z-Jumbo 30-35	87176212	Black	30 - 35	1	1
KDT/Z-Jumbo 35-40	87176214	Black	35 - 40	1	1
KDT/Z-Jumbo 40-45	87176216	Black	40 - 45	1	1
KDT/Z-Jumbo 45-50	87176218	Black	45 - 50	1	1
KDT/Z-Jumbo 50-55	87176220	Black	50 - 55	1	1
KDT/Z-Jumbo 55-60	87176222	Black	55 - 60	1	1
KDT/Z-Jumbo 60-65	87176224	Black	60 - 65	1	1
<b>Dummy grommet</b>					
BT-Jumbo	87176210	Black			1



## Cable entry grommet type KDT/Z-Jumbo

### Material properties



TPE-S

### Thermal properties



Temperature / temperature range

-30 °C – 100 °C / short term: -65 °C

### Fire properties



Fire classification

V0

### Technical information



LABS free



According to ISO 4892-2

### Conformity



RoHS (EC Directive 2011/65/EU)

### Classification

ETIM 9: EC002624

ECLASS 14: 27182815

### General information



Made in Germany

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Murrplastik:](#)

[87176218](#) [87176214](#) [87176216](#) [87176212](#) [87176226](#) [87176224](#) [87176210](#) [87176220](#) [87176222](#)