




INTERMATEABLE WITH
40M38277
PAN 6433-1
PATT 614
NFC C93-422 (HE309)

940L004MI6G35PA*

Series No. _____

Class _____

0 = General Duty
1 = Environmental
2 = Hi Rel

L = Lock Ring (Opt)
— = Standard

Basic Part No. _____

Finish Symbol (See Page 5) _____

Modification Code _____

Alternate Position A,B,C,D (Omit for normal)

P = Pins, Plug Side
S = Sockets, Plug Side

Insert Arrangement _____

G = EMI Ground Spring (Opt)
— = Standard

Shell Size _____

*Add Modification Code 131 for dry lubricant on inside surfaces of coupling nut.

SHELL SIZE	A MAX	B MAX
08	.474 (12.0)	.750 (19.1)
10	.591 (15.0)	.859 (21.8)
12	.751 (19.1)	1.031 (26.2)
14	.876 (22.3)	1.156 (29.4)
16	1.001 (25.4)	1.281 (32.5)
18	1.126 (28.6)	1.406 (35.7)
20	1.251 (31.8)	1.531 (38.9)
22	1.376 (35.0)	1.641 (41.7)
24	1.501 (38.1)	1.766 (44.9)

Metric dimensions (mm) are indicated in parentheses


© 1995 Glenair, Inc.

Printed in U.S.A.

GLENAIR, INC. • 1211 AIR WAY • GLENDALE, CA 91201-2497 • 818-247-6000 • FAX 818-500-9912

INSERT ARRANGEMENTS

SHELL SIZE DESIG	INSERT ARRANGEMENT DASH NO.	CONTACT SIZE: ALTERNATE KEYWAY POSITIONS					QUANTITY			
		22	20	16	12	N ⁰	A ⁰	B ⁰	C ⁰	D ⁰
08	8-3		3							
	8-35	6								
	8-97	2	2				82	-	-	118
	8-98		3							
10	10-5		5							
	10-35	13								
	10-98		6				88	72	128	114
	10-99		7							
12	12-3			3						
	12-4			4						
	12-8		8				80	68	132	120
	12-35	22								
14	12-98		10							
	14-5			5						
	14-15		14	1						
	14-18		18							
	14-19		19				79	66	134	121
	14-35	37								
16	14-97		8	4						
	16-6				6					
	16-8			8						
	16-26		26							
	16-42	42					82	70	130	118
	16-35	55								
18	16-99		21	2						
	18-11			11						
	18-28		26	2						
	18-30		29	1						
	18-32		32			100	82	72	130	118
	18-35	66								
20	18-45	67								
	18-96				9					
	20-16			16						
	20-24		24							
	20-25		25							
	20-27		20				82	70	130	118
22	20-35	79								
	20-39		37	2						
	20-41		41							
	22-21			21						
	22-32		32							
	22-34		34							
24	22-35	100								
	22-36		36				85	74	126	115
	22-53		53							
	22-55		55							
	22-97			16						
	22-99			11						
24	24-4		48	8						
	24-19				19					
	24-24			12	12		85	74	125	115
	24-29			29						
	24-35	128								
	24-61		61							



FACE VIEW
RECEPTACLE

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Glenair:

[940-004M12-35P](#) [940-004M22-35S](#) [941-004M14-35S](#) [941-004N20-35S](#) [940-004M18-35P](#) [941-004M12-4S](#) [940-004M16-35P](#) [940-004M16-35S](#) [940-004M24-35P](#)