

THIS COPYRIGHTED DOCUMENT IS THE PROPERTY OF GLENRAIR, INC. AND IS FURNISHED ON THE CONDITION THAT IT IS NOT TO BE DISCLOSED, REPRODUCED IN WHOLE OR IN PART, OR USED TO SOLICIT QUOTATIONS FROM COMPETITIVE SOURCES, OR USED FOR MANUFACTURE BY ANYONE OTHER THAN GLENRAIR, INC. WITHOUT WRITTEN PERMISSION FROM GLENRAIR, INC. THE INFORMATION HEREIN HAS BEEN DEVELOPED AT GLENRAIR'S EXPENSE AND MAY BE USED FOR ENGINEERING EVALUATION AND INCORPORATION INTO TECHNICAL SPECIFICATIONS AND OTHER DOCUMENTS WHICH SPECIFY PROCUREMENT OF PRODUCTS FROM GLENRAIR, INC.

REV.	DESCRIPTION	REVISIONS	DATE	APPROVED
A	RELEASED PER DCN 29720		06/09/08	SDS
B	RELEASED PER DCN 34292		12/02/09	SDS
C	RELEASED PER DCN 34486		12/23/09	C.I





TABLE II		
ALTERNATE KEY AND KEYWAY POSITION		
POSITION	A°	B°
A	150°	210°
B	75°	210°
C	95°	230°
D	140°	275°
E	75°	275°
F	95°	210°

ARRANGEMENT NO. 8-7
SOCKET FACE SHOWN
(REF ONLY)



2. MATERIAL / FINISH:
SHELL, JAM NUT - AL ALLOY OR CRES/SEE TABLE I.
INSULATOR - LCP OR EPOXY.
INTERFACIAL SEAL, O-RING - FLUOROSILICONE.
CONTACT - COPPER ALLOY / GOLD PLATE PER ASTM B 488, TYPE II, CODE C
CLASS 1.25 (.00005 - .00010 THK), OVER A SUITABLE UNDERPLATE.
POTTING - EPOXY.

1. ASSEMBLY TO BE IDENTIFIED WITH GLENRAIR'S NAME PART NUMBER
AND DATE CODE SPACE PERMITTING.

NOTES: UNLESS OTHERWISE SPECIFIED

GLENRAIR, INC.
1211 AIR WAY • GLENDALE, CALIF. 91201
CAD 1991

RIGHT ANGLE MOUNT, 805 SERIES
RECEPTACLE, 23 GA CONTACTS

CODE IDENT. NO.	SIZE	SCALE	WEIGHT	N/A	SHEET	1 OF 5
06324	B	N/A	N/A	N/A	1	5



DO NOT SCALE THIS DRAWING	RELEASE DATE	ORIGINAL RELEASE DATE
B/F 9674	APPROVED	APPROVED

THIS COPYRIGHTED DOCUMENT IS THE PROPERTY OF GLENNAIR, INC. AND IS FURNISHED ON THE CONDITION THAT IT IS NOT TO BE DISCLOSED, REPRODUCED, IN WHOLE OR IN PART, OR USED TO SOLICIT QUOTATIONS FROM COMPETITIVE SOURCES, OR USED FOR MANUFACTURE BY ANYONE OTHER THAN GLENNAIR, INC. WITHOUT WRITTEN PERMISSION FROM GLENNAIR, INC. THE INFORMATION HEREIN HAS BEEN DEVELOPED AT GLENNAIR'S EXPENSE AND MAY BE USED FOR ENGINEERING EVALUATION AND INCORPORATION INTO TECHNICAL SPECIFICATIONS AND OTHER DOCUMENTS WHICH SPECIFY PROCUREMENT OF PRODUCTS FROM GLENNAIR, INC.

REVISIONS		
REV.	DESCRIPTION	DATE
	SEE SHEET 1	APPROVED


TABLE III

SHELL SIZE	A	B	C	D ±.035	E THREAD	F	G	H	J + .004 FLAT -.000	Ø K	L	M THREAD	N
8-1	.760	.730	.540 .531	.292	.5000-.1P-.3L-TS	.385	.589	.224	.541	.573	.225	.5625-28 UN-2A	.345
8-4	.760	.730	.540 .531	.292	.5000-.1P-.3L-TS	.385	.589	.224	.541	.573	.225	.5625-28 UN-2A	.345
8-6 8-7	.760	.730	.540 .531	.265	.5000-.1P-.3L-TS	.408	.589	.187	.541	.573	.225	.5625-28 UN-2A	.345
9-1	.880	.850	.668 .659	.273	.5625-.1P-.3L-TS	.452	.710	.170	.667	.698	.296	.6875-28 UN-2A	.345
9-10	.880	.850	.668 .659	.273	.5625-.1P-.3L-TS	.452	.710	.170	.667	.698	.296	.6875-28 UN-2A	.345
10-2	.880	.850	.668 .659	.305	.6250-.1P-.3L-TS	.490	.710	.230	.667	.698	.320	.6875-28 UN-2A	.490
10-13	.880	.850	.668 .659	.305	.6250-.1P-.3L-TS	.490	.710	.230	.667	.698	.320	.6875-28 UN-2A	.490
11-4	.952	.925	.730 .721	.240	.6875-.1P-.3L-TS	.600	.800	.342	.727	.760	.362	.7500-28 UN-2A	.490
11-19	.952	.925	.730 .721	.275	.6875-.1P-.3L-TS	.600	.800	.342	.727	.760	.362	.7500-28 UN-2A	.490
11-200	.952	.925	.730 .721	.255	.6875-.1P-.3L-TS	.600	.800	.342	.727	.760	.362	.7500-28 UN-2A	.490
12-2	1.060	1.035	.789 .780	.299	.7500-.1P-.3L-TS	.640	.840	.362	.790	.823	.397	.8125-28 UN-2A	.570
12-5	1.060	1.035	.789 .780	.255	.7500-.1P-.3L-TS	.640	.840	.362	.790	.823	.397	.8125-28 UN-2A	.570
12-201	1.060	1.035	.789 .780	.294	.7500-.1P-.3L-TS	.640	.840	.362	.790	.823	.397	.8125-28 UN-2A	.570



ARRANGEMENT NO. 8-6
(6 #23 CONTACTS)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)

ARRANGEMENT NO. 8-7
(7 #23 CONTACTS)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)





ARRANGEMENT NO. 8-1
(1 #16 CONTACT)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)

ARRANGEMENT NO. 8-4
(4 #23 CONTACTS)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)


UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONS ± 1/16 DECIMALS .XX ± .03 .XXX ± .015 ANGLES ± 1°	DRAWN	CI	09/01/06	© GLENNAIR, INC. CAD 1991	
	CHECK			1211 AIR WAY • GLENDALE, CALIF. 91201	
	ENGR	GSB	06/07/06	RIGHT ANGLE MOUNT, 805 SERIES RECEPTACLE, 23 GA CONTACTS	
	<i>D. Brown</i> APPROVED				
DO NOT SCALE THIS DRAWING			RELEASE DATE	CODE IDENT. NO.	REV.
B/F			06/07/06	06324	06324
P/C 80			ORIGINAL RELEASE DATE	SCALE N/A	SIZE B
				WEIGHT N/A	SHEET 2 OF 5

THIS COPYRIGHTED DOCUMENT IS THE PROPERTY OF GLENAIR, INC. AND IS FURNISHED ON THE CONDITION THAT IT IS NOT TO BE DISCLOSED, REPRODUCED IN WHOLE OR IN PART, OR USED TO SOLICIT QUOTATIONS FROM COMPETITIVE SOURCES OR USED FOR MANUFACTURE BY ANYONE OTHER THAN GLENAIR, INC. WITHOUT WRITTEN PERMISSION FROM GLENAIR, INC. THE INFORMATION HEREIN HAS BEEN DEVELOPED AT GLENAIR'S EXPENSE AND MAY BE USED FOR ENGINEERING EVALUATION AND INCORPORATION INTO TECHNICAL SPECIFICATIONS AND OTHER DOCUMENTS WHICH SPECIFY PROCUREMENT OF PRODUCTS FROM GLENAIR, INC.


REVISIONS		
REV.	DESCRIPTION	DATE
	SEE SHEET 1	APPROVED





ARRANGEMENT NO. 9-1
(1 #12 CONTACT)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)




PCB FOOTPRINT




ARRANGEMENT NO. 9-10
(10 #23 CONTACTS)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)



ARRANGEMENT NO. 10-2
(2 #16 CONTACTS)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)



PCB FOOTPRINT





ARRANGEMENT NO. 10-13
(13 #23 CONTACTS)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONS $\pm 1/16$ DECIMALS .XX $\pm .03$.XXX $\pm .015$ ANGLES $\pm 1^{\circ}$	DRAWN	CI	09/01/06	GLENAIR, INC. 1211 AIR WAY • GLENDALE, CALIF. 91201 © CAD 1991	
	CHECK	ENGR	06/07/06	RIGHT ANGLE MOUNT, 805 SERIES RECEPTACLE, 23 GA CONTACTS	
	<i>D. Brown</i> APPROVED			CODE IDENT. NO.	SIZE
DO NOT SCALE THIS DRAWING	RELEASE DATE		06/07/06	06324	B
B/F	P/C	80		SCALE	N/A
				WEIGHT	N/A
				SHEET	3 OF 5
				REV.	C

THIS COPYRIGHTED DOCUMENT IS THE PROPERTY OF GLENAIR, INC. AND IS FURNISHED ON THE CONDITION THAT IT IS NOT TO BE DISCLOSED, REPRODUCED IN WHOLE OR IN PART, OR USED TO SOLICIT QUOTATIONS FROM COMPETITIVE SOURCES OR USED FOR MANUFACTURE BY ANYONE OTHER THAN GLENAIR, INC. WITHOUT WRITTEN PERMISSION FROM GLENAIR, INC. THE INFORMATION HEREIN HAS BEEN DEVELOPED AT GLENAIR'S EXPENSE AND MAY BE USED FOR ENGINEERING EVALUATION AND INCORPORATION INTO TECHNICAL SPECIFICATIONS AND OTHER DOCUMENTS WHICH SPECIFY PROCUREMENT OF PRODUCTS FROM GLENAIR, INC.



REVISIONS		
REV.	DESCRIPTION	DATE
	SEE SHEET 1	APPROVED



ARRANGEMENT NO. 11-4
(4 #16 CONTACTS)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)



ARRANGEMENT NO. 11-19
(19 #23 CONTACTS)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)





ARRANGEMENT NO. 11-200
(2 #16, 4 #23 CONTACTS)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)



UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONS ± 1/16 DECIMALS .XX ± .03 ANGLES ± 1°	DRAWN CHECK ENGR	CI GSB	09/01/06 06/07/06	© CAD 1991 1211 AIR WAY • GLENDALE, CALIF. 91201	
DO NOT SCALE THIS DRAWING	APPROVED D. Brown		06/07/06	RIGHT ANGLE MOUNT, 805 SERIES RECEPTACLE, 23 GA CONTACTS	
B/F	P/C	80	DO NOT SCALE THIS DRAWING	SCALE	N/A
			RELEASE DATE	SIZE	REV.
			ORIGINAL RELEASE DATE	06324	805-011
				WEIGHT	4 OF 5
				N/A	SHEET

THIS COPYRIGHTED DOCUMENT IS THE PROPERTY OF GLENAIR, INC. AND IS FURNISHED ON THE CONDITION THAT IT IS NOT TO BE DISCLOSED, REPRODUCED IN WHOLE OR IN PART, OR USED TO SOLICIT QUOTATIONS FROM COMPETITIVE SOURCES OR USED FOR MANUFACTURE BY ANYONE OTHER THAN GLENAIR, INC. WITHOUT WRITTEN PERMISSION FROM GLENAIR, INC. THE INFORMATION HEREIN HAS BEEN DEVELOPED AT GLENAIR'S EXPENSE AND MAY BE USED FOR ENGINEERING EVALUATION AND INCORPORATION INTO TECHNICAL SPECIFICATIONS AND OTHER DOCUMENTS WHICH SPECIFY PROCUREMENT OF PRODUCTS FROM GLENAIR, INC.



REVISIONS		
REV.	DESCRIPTION	DATE
	SEE SHEET 1	



ARRANGEMENT NO. 12-2
(2 #12 CONTACTS)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)



ARRANGEMENT NO. 12-5
(5 #16 CONTACTS)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)



ARRANGEMENT NO. 12-201
(2 #12, 4 #23 CONTACTS)
SOCKET FACE SHOWN
(PIN FACE OPPOSITE)

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONS ± 1/16 DECIMALS .XX ± .03 .XXX ± .015 ANGLES ± 1°	DRAWN	CI	09/01/06	GLENAIR, INC. 1211 AIR WAY • GLENDALE, CALIF. 91201		© CAD 1991
	CHECK ENGR	GSB	06/07/06	RIGHT ANGLE MOUNT, 805 SERIES RECEPTACLE, 23 GA CONTACTS		
DO NOT SCALE THIS DRAWING			APPROVED <i>D. Brown</i>	CODE IDENT. NO.	SIZE	REV.
B/F			RELEASE DATE 06/07/06	06324	B	805-011
P/C 80			ORIGINAL RELEASE DATE	SCALE N/A	WEIGHT N/A	SHEET 5 OF 5

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Glenair:

[805-011-07MT8-7PA](#)