



Connector Location A


Connector Location B




HARTING RJ Industrial RJ45, Cat. 5,
4-pole, angled overmolded, 90° position

Mating face RJ45 acc. to IEC 60603-7

X
male





Loading-Plan



- Protection level: IP20
- Temperature range: -40°C ... +70°C

All Dimensions in mm		Tech. Character.		Free size tol.		According to production drawing	
	All rights reserved	Created by STOCHECIC Stochei	Inspected by COSTEA Costea	Standardisation MUNTEANV Muntean	Date 2018-05-17	State Final Release	
	Department HCS - RO	Title RJ Industrial Cable Assembly				Doc-Key / ECM-Nr. 100155463/UGD/013/C 500000135295	
HARTING Customised Solutions D-32339 Espelkamp		Type TB	Number 09470400XXX			Rev. C	Page 1/2

1		2		3		4		5		6		7		8	
A									90	09470400088	RJl Ethernet stranded cable, AWG 22/7, 2x2x0.75, outdoor, PVC, Cat. 5+, black		100		
									89	09470400087			90		
									88	09470400086			80		
									87	09470400085			70		
									86	09470400084			60		
									85	09470400083			50		
									84	09470400082			40		
									83	09470400081			30		
									82	09470400080			20		
									81	09470400079			15		
B	45	09470400044	RJl Ethernet stranded cable, 4xAWG22/7, PVC, Cat. 5+, green		100		80	09470400078	10		RJl Ethernet trailing cable, AWG22/7, 2x2x0.75, PUR, Cat. 5+, green	9			
	44	09470400043			90		79	09470400077	8						
	43	09470400042			80		78	09470400076	7						
	42	09470400041			70		77	09470400075	6						
	41	09470400040			60		76	09470400074	5						
	40	09470400039			50		75	09470400073	4						
	39	09470400038			40		74	09470400072	3						
	38	09470400037			30		73	09470400071	2						
	37	09470400036			20		72	09470400070	1.5						
	36	09470400035			15		71	09470400069	1						
C	35	09470400134	RJl Ethernet standard cable, 4xAWG22/7, PVC, Cat. 5+, green		12		70	09470400068	0.5			100			
	34	09470400034			10		69	09470400067	90						
	33	09470400033			9		68	09470400066	80						
	32	09470400032			8		67	09470400065	70						
	31	09470400031			7		66	09470400064	60						
	30	09470400030			6		65	09470400063	50						
	29	09470400029			5		64	09470400062	40						
	28	09470400028			4		63	09470400061	30						
	27	09470400027			3		62	09470400060	20						
	26	09470400026			2		61	09470400059	15						
D	25	09470400025	RJl Ethernet standard cable, AWG22/1, 2x2x0.64, PVC, Cat. 5+, green		1.5		60	09470400058	10			9			
	24	09470400024			1		59	09470400057	8						
	23	09470400023			0.5		58	09470400056	7						
	22	09470400022			100		57	09470400055	6						
	21	09470400021			90		56	09470400054	5						
	20	09470400020			80		55	09470400053	4						
	19	09470400019			70		54	09470400052	3						
	18	09470400018			60		53	09470400051	2						
	17	09470400017			50		52	09470400050	1.5						
	16	09470400016			40		51	09470400049	1						
E	15	09470400015	RJl Ethernet standard cable, AWG22/1, 2x2x0.64, PVC, Cat. 5+, green		30		50	09470400048	0.5			0.3			
	14	09470400014			20		49	09470400047							
	13	09470400013			15		48	09470400046							
	12	09470400012			10		47	09470400045							
	11	09470400011			9		46	09470400145							
	10	09470400010			8		Cont. no.	Part no.	Type of cable			Dim. a[m]			
	9	09470400009			7		 All Dimensions in mm Original Size DIN A3		Scale 1:1	Free size tol.		Ref.			
	8	09470400008			6							Sub.			
	7	09470400007			5		 All rights reserved Department HCS - RO		Created by STOCHECIC Stocheci	Inspected by COSTEA Costea		Standardisation MUNTEANV Muntean	Date 2018-05-17	State Final Release	
	6	09470400006			4				Title RJ Industrial Cable Assembly				Doc-Key / ECM-Nr. 100155463/UGD/013/C 500000135295		
5	09470400005	3		HARTING Customised Solutions D-32339 Espelkamp		Type TB		Number 09470400XXX		Rev. C		Page 2/2			
4	09470400004	2													
3	09470400003	1.5													
2	09470400002	1													
1	09470400001	0.5													
Cont. no.		Part no.		Type of cable		Dim. a[m]									
1		2		3		4		5		6		7		8	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[HARTING:](#)

[09470400134](#) [09470400004](#)