





Connector Location A

Connector Location B



X
male

Loading-Plan



HARTING RJ Industrial RJ45, Cat. 5,
4-pole, angled overmolded, 0° position

Mating face RJ45 acc. to IEC 60603-7

- Protection level: IP20
- Temperature range: -40°C ... +70°C

All Dimensions in mm		Tech. Character.		Free size tol.		According to production drawing	
	All rights reserved	Created by STOCHECIC Stocheci	Inspected by COSTEA Costea	Standardisation MUNTEANV Muntean	Date 2018-05-17	State Final Release	
	Department HCS - RO	Title RJ Industrial Cable Assembly				Doc-Key / ECM-Nr. 100177621/UGD/010/E 500000135295	
HARTING Customised Solutions D-32339 Espelkamp		Type TB	Number 09470600XXX			Rev. E	Page 1/2

1		2		3		4		5		6		7		8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
A	52	09470600052		RJ45 Ethernet trailing cable, AWG22/7, 2x2x0.75, PUR, Cat. 5+, green		Ø6.5	6	RJ45 Ha-VIS EtherRail, Flexible data cable, AWG22/7, 4x0.25, Cat. 5/5e, black		Ø6.6	0.5	RJ45 Ethernet stranded cable, AWG22/7, 2x2x0.75, outdoor, PVC, Cat. 5+, black		Ø6.5	RJ45 Ethernet trailing cable, AWG22/7, 2x2x0.75, PUR, Cat. 5+, green																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
	51	09470600051					5			100	90																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	50	09470600050					4			80	80																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	49	09470600049					3			70	60																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
	48	09470600048					2			60	50																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
B	47	09470600047		1.5	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.5	100	90	80	70	60	50	40	30	20	15	13	10	9	8	7	6	5	4	3	2	1.5	1	0.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING:

09470600056