






Loading-Plan:



- Protection level: IP65/67
- Temperature range: -40°C ... +70°C

		All Dimensions in mm Original Size DIN A3		Scale 1.5:1		Free size tol.		Ref.					
								Sub.					
		All rights reserved		Created by MUNTEANV		Inspected by AVRAM		Standardisation HOFFMANN		Date 2015-02-02		State Final Release	
HARTING Electronics GmbH D-32339 Espelkamp		Department EC PD - RO		Title HARTING PushPull Cable Assembly								Doc-Key / ECM-Nr. 100155480/UGD/008/B 500000084462	
				Type TB		Number 09473636XXX						Rev. B	

1				2				3				4				5				6				7				8			
A																												A			
49				09473636044				RJ45 Ethernet stranded cable, 4xAWG22/7, PVC, Cat. 5+, green				100				RJ45 Ethernet stranded cable, AWG22/7, 2x2x0.75, outdoor, PVC, Cat. 5+, black				100				B							
48				09473636043								90								90											
47				09473636042								80								80											
46				09473636041								70								70											
45				09473636040								60								60											
44				09473636039								50								50											
43				09473636038								40								40											
42				09473636037								30								30											
41				09473636036								20								20											
40				09473636035								15								15											
39				09473636034								10								10											
38				09473636033								9								9											
37				09473636032								8								8											
36				09473636031								7								7											
35				09473636030								6								6											
34				09473636029								5								5											
33				09473636028								4								4											
32				09473636027								3								3											
31				09473636026								2								2											
30				09473636025								1.5								1.5											
29				09473636024				1				1																			
28				09473636023				0.5				0.5																			
27				09473636022				100				RJ45 Ethernet trailing cable, AWG22/7, 2x2x0.75, PUR, Cat. 5+, green				100				C											
26				09473636021				90								90															
25				09473636093				85								85															
24				09473636020				80								80															
23				09473636019				70								70															
22				09473636092				65								65															
21				09473636018				60								60															
20				09473636091				55								55															
19				09473636017				50								50															
18				09473636016				40								40															
17				09473636090				35								35															
16				09473636015				30								30															
15				09473636089				25								25															
14				09473636014				20								20															
13				09473636013				15								15															
12				09473636012				10								10															
11				09473636011				9								9															
10				09473636010				8								8															
9				09473636009				7								7															
8				09473636008				6								6															
7				09473636007				5				5																			
6				09473636006				4				4																			
5				09473636005				3				3																			
4				09473636004				2				2																			
3				09473636003				1.5				1.5																			
2				09473636002				1				1																			
1				09473636001				0.5				0.5																			
Cont. no.				Part no.				Type of cable				Dim. a[m]				F															
1				2				3				4																			

93		09473636088		RJ45 Ethernet stranded cable, AWG22/7, 2x2x0.75, outdoor, PVC, Cat. 5+, black				100		A			
92		09473636087						90					
91		09473636086						80					
90		09473636085						70					
89		09473636084						60					
88		09473636083						50					
87		09473636082						40					
86		09473636081						30					
85		09473636080						20					
84		09473636079						15					
83		09473636078						10					
82		09473636077						9					
81		09473636076						8					
80		09473636075						7					
79		09473636074						6					
78		09473636073						5					
77		09473636072						4					
76		09473636071						3					
75		09473636070						2					
74		09473636069						1.5					
73		09473636068		1									
72		09473636067		0.5									
71		09473636066		RJ45 Ethernet trailing cable, AWG22/7, 2x2x0.75, PUR, Cat. 5+, green				100		D			
70		09473636065						90					
69		09473636064						80					
68		09473636063						70					
67		09473636062						60					
66		09473636061						50					
65		09473636060						40					
64		09473636059						30					
63		09473636058						20					
62		09473636057						15					
61		09473636056						10					
60		09473636055						9					
59		09473636054						8					
58		09473636053						7					
57		09473636052						6					
56		09473636051						5					
55		09473636050						4					
54		09473636049						3					
53		09473636048						2					
52		09473636047						1.5					
51		09473636046		1									
50		09473636045		0.5									
Cont. no.		Part no.		Type of cable				Dim. a[m]		E			
		All Dimensions in mm Original Size DIN A3		Scale 1:1		Free size tol.		Ref. Sub.		F			
		All rights reserved Department EC PD - RO		Created by MUNTEANV		Inspected by AVRAM		Standardisation HOFFMANN				Date 2015-02-02	
HARTING Electronics GmbH D-32339 Espelkamp				Title HARTING PushPull Cable Assembly				Doc-Key / ECM-Nr. 100155480/UGD/008/B 500000084462					
				Type TB		Number 09473636XXX		Rev. B		Page 2/2			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING:

[09473636051](#) [09473636049](#) [09473636047](#)