

# Han® S-HSI w. MC M8-black-SLV-UP



Part number	09 93 001 0125
Specification	Han® S-HSI w. MC M8-black-SLV-UP
HARTING eCatalogue	https://b2b.harting.com/09930010125

Image is for illustration purposes only. Please refer to product description.

### Identification

Category	Hoods/Housings
Series	Han <sup>®</sup> S
Identification	Han <sup>®</sup> S 200
Type of hood/housing	Screw mounted housing
	incl. male contact with M8 bolt termination
Description of hood/housing	With Tuflok <sup>®</sup> protection
	With unlocking protection

# Version

Number of contacts	1
Locking type	Single locking lever
Field of application	Energy Storage Systems

### Technical characteristics

Rated current	200 A
Rated voltage	1,500 V
Rated impulse voltage	8 kV
Pollution degree	2
Insulation resistance	>10 <sup>8</sup> Ω
Contact resistance	≤0.3 mΩ
Tightening torque	25 Nm
Wrench size	9
Limiting temperature	-40 +125 °C



### Technical characteristics

Note on the limiting temperature	For use as a connector according to IEC 61984.
Number of relockings	≥500
Degree of protection acc. to IEC 60529	IP40 mated condition IP20 unmated condition (1500 V DC; 1000 V AC)

# Material properties

Material (contacts)	Copper alloy
Surface (contacts)	Silver plated
Material (hood/housing)	Polyamide (PA)
Colour (hood/housing)	RAL 9005 (jet black) RAL 1028 (melon yellow)
Material flammability class acc. to UL 94	V-0
RoHS	compliant
ELV status	compliant
China RoHS	е
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Not contained
California Proposition 65 substances	Not contained
Fire protection on railway vehicles	EN 45545-2 (2020-08)
Requirement set with Hazard Levels	R22 (HL 1-3) R23 (HL 1-3)

# Specifications and approvals

	IEC 60664-1
	EN 45545-2 Fire protection on railway vehicles
	IEC 61984
Specifications	UL 1973
	UL 4128
	UL 9540
	UL 1977
Approvals	CE

## Commercial data

Packaging size	1
Net weight	24 g
Country of origin	China

Product data sheet 09 93 001 0125 Han® S-HSI w. MC M8-black-SLV-UP



### Commercial data

European customs tariff number	85389099
GTIN	5713140183759
ETIM	EC000437
eCl@ss	27440202 Shell for industrial connectors

# **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING:

09930010125