




PRODUCT NUMBER
SEE TABLE



mat'l. code				surface ISO 1302 ✓	tolerance ISO 406 ISO 1101	projection INCH/MM	product family LATCH-N-LOK			
ltr ecn nodr date				tolerances unless otherwise specified			title			
K	ELX-N-008441	ZK	11/28/11	angles	linea	scale 2:1	2X4 LNL STANDARD RT. ANGLE HEADER ASS'Y			
E	V10425	TFG	2/7/01	0°±2°			dwg no sheet 1 of 2 size			
F	M05-0033	ERE	2/25/05	dr	D.A. SMITH	1/24/90	68293 A3			
G	M06-0285	AGS	7/28/06	engr	D. HORCHLER	11/5/90	type Product Customer Drawing			
H	M06-0365	AGS	9/20/06	chr	D. HORCHLER	11/5/90				
J	M09-0048	MHT	3/12/09	appd	D. HORCHLER	11/5/90				
sheet	revision	K	K							
index	sheet	1	2							


PRODUCT NUMBER	COLOR (4)	DIM L	LEAD FREE OPTION
68293-X01	70343 LT GRAY		
68293-X02	80166 OFF WHITE		
68293-X03	70634 DK GRAY		
68293-X04	701 BLACK	SEE BELOW	NOTE 6 & 7
68293-X05	70511 SLATE GRAY		
68293-X07	70455 SILVER GRAY		
68293-X08	80189 PEARL WHITE		
68293-X09	70419 PEBBLE GRAY		

PIN LENGTH	
DASH No.	DIM L
68293-0XX	.200/5.08
68293-1XX	.130/3.30
68293-2XX	.270/6.86

DASH No.	PLATING DESCRIPTION
68293-X0X	30u" MIN (NOTE 3) OVER 50u" MIN Ni
68293-X3X	30u" MIN (NOTE 3) OVER 50u" MIN Ni
68293-X5X	50u" MIN (NOTE 3) OVER 50u" MIN Ni

NOTES:

- HEADER SHROUD
MAT'L: HIGH TEMPERATURE THERMOPLASTIC
UL-94V-0 RATED.
- GROUND CONTACT
MAT'L: COPPER ALLOY
PLATING: 100-160u"/2.54-4.06u TIN.
- SIGNAL CONTACT
MAT'L: COPPER ALLOY
PLATING: PERFORMANCE PLATING WILL BE EITHER GOLD OR GXT
ON CONTACT AREA OR TAIL, OPTIONALLY (78-295u") TIN ON TAIL.
- NUMBERS SHOWN ARE FOR G.E. LEXAN AND ARE FOR REFERENCE ONLY
- THIS ASSEMBLY U.L. APPROVED PER FILE E66906 VOL. 1, SEC 84
AND CSA APPROVED PER MASTER FILE LR46923.
- ADD LF SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE
FOR 15 SECONDS IN A WAVE SOLDER APPLICATION WITH A 1.5mm
MINIMUM THICK CIRCUIT BOARD. SEE APPLICATION NOTES/PROCEDURES
IF THEY ARE AVAILABLE.
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER
COUNTRY REGULATION AS DESCRIBED IN GS-22-008.
- PRODUCT SPEC: GS-12-003



RECOMMENDED PCB LAYOUT

mat'l. code		surface ISO 1302 ✓		tolerance ISO 406 ISO 1101		projection INCH/MM		product family LATCH-N-LOK	
ltr ecn nodr date		tolerances unless otherwise specified		title 2X4 LNL STANDARD RT. ANGLE HEADER ASS'Y		dwg no 68293		sheet 2 of 2 size A3	
K		angles 0°±2°		line XX±.01/0.X±0.3 XXX±.005/0.XXX±0.13 XXXX±.0020/0.XXX±0.05		scale 1:1		type Product Customer Drawing	
dr		D.A. SMITH		1/24/90		FCI			
enr		D. HORCHLER		11/5/90					
chr		D. HORCHLER		11/5/90					
app		D. HORCHLER		11/5/90					
sheet index		revision sheet							

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Amphenol:](#)

[68293-002LF](#) [68293-009](#) [68293-009LF](#)