







<u> </u>		<u> </u>
18.0±1.0 -		Ø11.2±1.0
<u> </u>		
	(80.5)	_

PART NUMBER CHART					
COLOR	PART NUMBER				
GREY	ATM4P-BT				
BLACK	ATM4P-BT-BK				
YELLOW	ATM4P-BT-YW				

NOTES: UNLESS OTHERWISE SPECIFIED

- 1. THIS PART IS USED ON ATM04-4P RECEPTACLE ANY MODIFICTION DOES NOT INCLUDE AN END CAP.
- 2. TEMPERATURE RATING : -29°C TO +100°C [-20°F TO +212°F]
- 3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

	SEE PART N	UMBER CHART	REF: DTM4P-BT , DTM4P-BT-BK , DTM4P-BT-YW			
	PART NUMBER			DESCRIPTION	ITE	
QUANTITY		MA	TERI	ALS LIST		
UNLESS OTHERWISE SPECIFIED		SIGNATUR	Amnhendi			
1) All dimensions are in metric(mm). 2) Tolerances are as follows: 1 PL DEC ±0.30 2 PL DEC ±0.10 3) Note reference =   MATERIAL SPECIFICATIONS:  PVC  PROCESS SPECIFICATIONS:		DRAWN: BROOK.DIN			<b>,</b> [	
		CHECKED: ORION.LI	16MAR20	Sine Systems - www.amphenol-sine.com		
		ENGINEER:		44724 Morley Drive Clinton Township, MI 48036		
		APPROVAL: TOMMY.XI	E 17MAR20	Clinton Township, Mi 48036		
		SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL		BOOT, ATM ,4 WAY, RECEPTACLE		
				ATMAD DT VV	REVISION A	

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

 $\frac{\text{Amphenol}:}{\text{ATM4P-BT-YW}}$