

NOTES:


1. MATERIALS AND FINISHES:
BODY – BRASS, NICKEL PLATING
CONTACT – BRASS, GOLD PLATING
INSULATOR – PTFE
2. ELECTRICAL:
A. IMPEDANCE: 50 OHM
B. FREQUENCY RANGE: DC 0–4 GHz
C. DIELECTRIC WITHSTANDING VOLTAGE: 1500 VRMS, MIN.
3. MECHANICAL:
A. DURABILITY: 500 CYCLES MIN.
B. TEMPERATURE RANGE: – 65°C to +165°C
4. SOLDER CONTACT TO CABLE.
WHEN CRIMPING CONTACT PIN TO CABLE, CRIMP WITH AMPHENOL TOOL 227–944 (M22520/5–01) AND DIE SET 227–1221–11, CAVITY 'B' (M22520/5–11, CLOSURE 'B'), OR WITH AMPHENOL COMMERCIAL TOOL CTL–1, .068 HEX
5. WHEN CRIMPING FERRULE TO CABLE, CRIMP WITH AMPHENOL TOOL 227–944 (M22520/5–01) AND DIE SET 227–1221–11, CAVITY 'A' (M22520/5–11, CLOSURE 'A'), OR WITH AMPHENOL COMMERCIAL TOOL CTL–1, .213 HEX

THIRD ANGLE PROJ.






REVISIONS

REV	DESCRIPTION	DATE	ECO	APPR
C1	DRAWING NO. WAS ADDED\N/A	10–Jun–05	—	SH
D	SPRING WAS CHANGED	23–Dec–10	47967	SH



RECOMMENDED
CABLE STRIPPING DIM'S



CUSTOMER OUTLINE DRAWING
ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

<p>UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE: <0.5mm ±0.05mm 0.5 – 6mm ±0.1mm 6 – 30mm ±0.2mm 30 – 120mm ± 0.3mm ANGLES ±1°</p> <p>NOTICE – These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.</p>	MATERIAL	DRAWN T.DENG	DATE 21–Dec–10	TITLE BNC PLUG QUICK CRIMP FOR RG58 PLENUM CABLE		Amphenol RF Danbury CT USA, Tainan Taiwan, Shenzhen China www.amphenolrf.com	
	REFERENCE	ENGINEER S.LI	DATE 21–Dec–10			DRAWING NO. 36650–3–ND3G–58T–50	
		APPROVED S.HSIEH	DATE 23–Dec–10	SCALE: 3/1 SHEET 2 OF 2		ITEM NO. 011121AACA2ND5F	
	FINISH	CAD FILE F:\DWG\APL\CNPD\RFX\36650\3\ND3G–DSZ	DWG SIZE B	CODE ID 74868	REV D	PART NO. 36650–3RFX	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Amphenol:](#)

[000-36650-3RFX](#)