NOTES:

I. MATERIALS AND FINISHES: COUPLING NUT - BRASS, NICKEL PLATING WASHER - BRASS, NICKEL PLATING SLEEVE - BRASS, NICKEL PLATING

FERRULE - BRASS, NICKEL PLATING RING - BRASS, NICKEL PLATING - SILICÓNE RUBBER, RED GASKET - BRASS, NICKEL PLATING - BRASS, GOLD PLATING - DELRIN, NATURAL BODY

CONTACT INSULATOR

2. ELECTRICAL:

A. IMPEDANCE: 75 OHM


B. FREQUENCY RANGE: DC - 3 GHz

C. DIELECTRIC WITHSTANDING VOLTAGE: 900 VRMS, MIN.

A. DURABILITY: 500 CYCLES MIN.

B. TEMPERATURE RANGE: -40°C TO +85°C


4. USE AMPHENOL RF CRIMP TOOL #CTL-2




RECOMMENDED CABLE STRIPPING DIM'S


THIRD ANGLE PROJ. 🕀 🖯

Α



REVISIONS





## **CUSTOMER OUTLINE DRAWING**

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS DIHERWISE SPECIFIED, D	IMENSIONS ARE	IN METRIC AND	IOLEKANCES ARE:
<0.5mm 0.5 - 6mm	6 - 30mm	30 - 120mm	ANGLES
± 0.05mm ±0.1mm	$\pm$ 0.2mm	$\pm$ 0.3mm	± I°
NOTICE - These drawings, specific	ations or othe	r data (I) ara	and romain the
property of Amphenol corp. (2) mi			
confidential and not to be disclo			
are given by Amphenol Corp. the			
other data by Amphenol Corp., or			
not to be regarded by implication			

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:

NOTICE - These drawings, specifications, or other data (I) are, and remain the
property of Amphenol corp. (2) must be returned upon request; and (3) are
confidential and not to be disclosed to any person other than those to whom they
are given by Amphenol Corp. the furnishing of these drawings, specifications, or
other data by Amphenol Corp., or to any other person to anyone for any purpose is
not to be regarded by implication or otherwise in any manner licensing, granting
rights to permitting such holder or any other person to manufacture, use or sell
anỹ product, process̃ or design, patented or otherwise, that may in any way be
related to or disclosed by săid drawings, specifications, or other data.

	MATERIAL	DRAWN	DATE	TI
	OFF NOTES	M.ZHANG	28 - Jun - 19	
	SEE NOTES	ENGINEER	DATE	
	REFERENCE	H.FRRDLUWD	3 - S e p - 9	
r	EAR#	APPROVED	DATE	(
5	REF:	S.HSIEH	28 - Jun - 19	SC
	CONFIGURATION LEVEL: In Work	CAD FILE		
	FINISH			

	TITLE	
	75 OHM TNC CRIMP PLUG	
	(FOR RG-179/U,187A/U	
_	CABLE)	
	CNDLL	DF
	SCALE: 4.5:1.0 SHEET 2 OF 2	
	DWG SIZÉ REV	

Amphenol	RF
www.amphenolrf.c	om

DRAWING NO.	T     2   E   - ND3G -   79U - 75	
ITEM NO.	021121AAG19ND7F	
PART NO.	3 I - 2 2 4 2 - R F X	

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol: 031-2242-RFX