
ROHS COMPLIANT

PRODUCT DATA DRAWING

REVISION HISTORY			
REV	DESCRIPTION	DATE	APPROVED
01	PRELIMINARY	11/14	FED
1	REL. NRN 40672	06/10/16	STW
		, in the second second	



MATERIAL:

BODY & SLEEVE:

CONTACT:

PTFE PER ASTM D1710, TYPE I, GRADE 1, CLASS B **INSULATOR:**

BEAD: ULTEM 1000 PER ASTM D5205

FINISH:

BODY & SLEEVE: PASSIVATED PER AMS-2700

GOLD PER ASTM B488, TYPE II, CODE C, CLASS 1.27, OVER NICKEL PER AMS-QQ-N-290, CLASS 1, .00005" MIN. CONTACT:

PERFORMANCE:

IMPEDANCE: 50 OHMS FREQ. RANGE: DC TO 40.0 GHz


DWV:

INSULATOR RES.:

500 VRMS

5,000 MEGOHMS MIN.

STAINLESS STEEL PER AMS-5640, ALLOY UNS S30300, TYPE 1 OR ASTM A582, TYPE 303, CONDITION A. BERYLLIUM COPPER PER ASTM B196, ALLOY No. UNS C17300, TD04



MATERIAL:	SEE NOTES			
FINISH:	SEE NOTES			
SURFACE AR	SURFACE AREA: N/A			
	PROPRIETARY			
IS THE SOLE P ANY REPRODU	TION CONTAINED IN THIS DRAWIN ROPERTY OF SV MICROWAVE, INC JCTION IN PART OR AS A WHOLE			

DIMENSIONS ARE IN INCHES TOLERANCES:
FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' X°X' +15'
DECIMAL: .X ±.030 .XX ±.010 .XXX ±.005
INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994

UNLESS OTHERWISE SPECIFIED

THIRD ANGLE PROJECTION	DRAWN:	FED 11/24/14
	CHECKED:	JMC 06/10/16
V	APPROVED:	STW 06/10/16

SV Microwave, Inc.

2400 Centrepark West Drive, Suite 100 West Palm Beach, FL 33409

SMP FD MALE TO 2.92mm ST. FEMALE **ADAPTER**

	95077	DWG. NO. SF11	112	-6122
SCALE: 8:1				SHEET 1 OF

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol: SF1112-6122