


# **PRODUCT DATA DRAWING**







1/4-36 UNS-2A-

### **MATERIAL:**

CONTACT: BERYLLIUM COPPER

INSULATOR: PTFE

### FINISH:

BODY & CONTACT: GOLD OVER NICKEL

#### **PERFORMANCE:**

#### IMPEDANCE: FREQ. RANGE:

50 OHMS DC TO 18.0 GHz.

MATERIAL:	SEE NOTES	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: +1/64 ANGULAR: X° +1°0'	UNLESS OT 1) ALL DIMENSIONS AR 2) BREAK CORNERS & 4) CHAM. 1ST & LAST T 5) SURFACE ROUGHNE
FINISH:	SEE NOTES	X*X' ±15' DECIMAL: .X ±.030 .XX ±.015	
SURFACE AREA: N/A		.XXX ±.005	6) DIA.'S ON COMMON WITHIN .005 T.I.R. 7) REMOVE ALL BURRS
PROPRIETARY		PER ASME Y14.5M - 1994	
	ION CONTAINED IN THIS DRAWING	THIRD ANGLE PROJECTION	DRAWN:
ANY REPRODU	CTION IN PART OR AS A WHOLE WRITTEN PERMISSION OF E, INC IS PROHIBITED.		CHECKED:
			APPROVED

	REV	REVISION HISTORY DESCRIPTION	DATE	APPROVED
	D	DCN 41517	07/15	STW
	L			I
E00				
.500 -				
, <b>-</b>		.		
<b>7</b> 5 — — — — — — — — — — — — — — — — — — —				
		Ň		
		/		
+		+ +		
		/		
	1			
	\	.250 HEX.		
<b>OT</b>			Amph	enol
OTHERWISE SP S ARE AFTER PLATING	ECIFIED		CROWA	VE
S ARE AFTER PLATING IS & EDGES .005 R. MAX. ST THREADS. SHNESS 63. MIL-STD-10. ION CENTERS TO BE COM		2400 Centrepark We West Palm Bea	st Drive. Suite	100
R.	CENTRIC			СК
JRRS		FOR Ø.08	5 CABL	Ĕ
BDT	03/07/			

	BRT 03/07/97	SIZE	CAGE CODE	DWG NO		
D:	STW 07/30/15	B	95077	DWG. NO.	2921-0	6002
ED:	DGG 06/04/76	SCALE: 10:1				SHEET 1 OF 1

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol: 2921-6002