

**ROHS COMPLIANT** 

## **PRODUCT DATA DRAWING**

REVISION HISTORY					
REV	DESCRIPTION	DATE	APPROVED		
-	DCN 39313	08/12	STW		





**MATERIAL**:

**OUTER RING & PIN: KOVAR PER ASTM F15** 

GLASS SEAL: **CORNING #7070 OR EQUIVILANT** 

FINISH:

**OUTER RING & PIN:** 

GOLD PER ASTM B488, TYPE II, CODE C, CLASS 1.27, OVER NICKEL PER AMS-QQ-N-290, CLASS 1, .00005" MIN.

SV PART NUMBER	Α	В	С	ØD	ØE
066-15-000	.040	.055	.029	.076	.012
066-15-001	.040	.055	.080	.076	.012
066-15-002	.030	.055	.026	.068	.009
066-15-003	.030	.055	.080	.068	.009
066-15-004	.030	.055	.120	.068	.009
066-15-005	.050	.060	.125	.158	.020

MATERIAL:	SEE NOTES					
FINISH:	SEE NOTES					
SURFACE AR	SURFACE AREA: N/A					
	PROPRIETARY					
IS THE SOLE P ANY REPRODU WITHOUT THE	TION CONTAINED IN THIS DRAWING ROPERTY OF SV MICROWAVE, INC. JCTION IN PART OR AS A WHOLE WRITTEN PERMISSION OF VE. INC IS PROHIBITED.					

DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' X°X' ±15' DECIMAL: .X ±.030 .XX ±.010 .XXX ±.005

INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994

THIRD ANGLE PROJECTION

## UNLESS OTHERWISE SPECIFIED

1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS]
2) ALL DIMENSIONS ARE AFTER PLATING,
3) BREAK CORNERS & EDGES 005 R. MAX.
4) CHAM. 1ST & LAST THREADS.
5) SURFACE ROUGHNESS 63-MIL-STD-10.
6) DIA: S ON COMMON CENTERS TO BE CONCENTRIC WITHIN. 005 T.I.R.
7) REMOVE ALL BURRS

DRAWN: FSG 08/21/12 STW 08/21/12 CHECKED: APPROVED: STW 08/21/12

## SV Microwave, Inc.

2400 Centrepark West Drive, Suite 100 West Palm Beach, FL 33409

50 OHM HERMETIC SEALS

SIZE CAGE CODE DWG. NO. B 95077 066-15-000-005 SCALE: 24:1 SHEET 1 OF 1

## **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

<u>Amphenol</u>: 066-15-000