



REVISIONS				
SYM	ECN	DESCRIPTION	DATE	APPROVED
1			09/26/08	



Customer drawing

NOTES :

1. THE MATERIAL:BRASS
2. ALL DIAMETRES SHOULD BE $\varnothing 0.08 \text{ A}$
3. BURRS AND SHARP ANGLES SUPPRESSED BY A RADIUS OF 0.07 max
4. ANGULAR POSITION OF THE PARTY FRAISURE ELASTIQUE INDIFFERENCE COMPARED TO NON-DRILLING DEBOUCHAMT OF $\varnothing 0.6^{+0.25}_0$

14	30u" min gold over 80u" min nickel		
12	15u" min gold over 80u" min nickel		
11	4u" min gold over 80u" min nickel		
Code	Plating		
UNLESS OTHERWISE SPECIFIED TOLERANCES U.S. METRIC .X +/- 0.20 .XX +/- 0.10 .XXX +/- 0.05 FRACTIONS +/- ANGLES +/- 2' FOR MATERIALS AND FINISHES SEE NOTES REMOVE SHARP EDGES DIMENSIONS U.S. INCHES METRIC MM		APPROVAL	DATE
		DRAWN Mary.mo	09/26/08
		CHECKED Lik.wang	09/26/08
		Amphenol®	
		TITLE Female Contact	
		SIZE A4	DRAWING NO. C L17D3D477XX
		SCALE NONE	REV. 1
		SHEET 1 OF 1	

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Amphenol:](#)

[L17D3D47714](#)