









		2	3	4	5	6	7	8	
F	(PG9)		(M16*1.5)		REV.	ECN NO.	DATE	SIGN	DESCRIPTION
					B	LEN1580023~024	2015/07/24	Yulong_wang	Change to Share Drawing.
	Recommended Panel Cut-Out		Recommended Panel Cut-Out		C	LEN1690153~154	2016/08/24	Yulong_wang	Add 3, 5 Pin & IP69K.
E									
D									
C					Note: *  Important Dimension. * Waterproof Rate: IP68, IP69K. * Housing: Nylon+GF, Black. * Female Pin: Copper Alloy, Gold Plated. * Shield: Zinc Alloy, Nickel Plated. * Ground Pin: Copper Alloy, Gold Plated. * Screw Nut: Zinc Alloy, Nickel Plated. * Panel O-Ring: Viton, Black. * Housing O-Ring: Viton, Green. * Rated Voltage: 3 & 4Pin 250V dc. or ac. 5Pin 60V dc. or ac. * Rated Current: 4A * Operating Temperature: -40~+105°C * For Panel Thickness Max 4.5mm. * Recommended Nut Torque: 4-6 Kgf.cm.				
B									
A	Pin Assignment Front View								
	UNIT:mm			TITLE		ITEM NO		DRAWN BY	DATE
	TOLERANCE		M12 D-Code Female Conn. PCB Type Shielded		MSDS-XXPFFP-SF8XXX		Yulong_wang		2016-08-24
.X ±0.25		SCALE	3:2	SIZE	A4	SHEET	1	OF	2
.XX ±0.1		REV.	C	WC-REV.	A.5	Inspection item		CHECKED BY	DATE
.XXX ±0.05						CUSTOMER		Jinhai	2016-08-24
ANGLES ±1°						ALTW		APPROVED BY	DATE
								Jerry	2016-08-24
								FMW10702-01-02A1	

THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.




M SDS - XX P F F P - S F 8 XXX

SDS:D-Code Shielded
03:3Pin
04:4Pin
05:5Pin

P:Panel(板端)
F:Female Connector(母座)
F:Female Pin(母Pin)

001:PG9
002:M16*1.5
8:IP68/69K(防水等級68/69K)

F:Front Fasten(前鎖式/Enclosure Rear Mount)
S:Screw(螺紋式)
P:PCB THT/DIP Type(180°基板插件式)



UNIT:mm				TITLE		ITEM NO		DRAWN BY		DATE		
TOLERANCE .X ±0.25 .XX ±0.1 .XXX ±0.05 ANGLES ±1°		MI2 D-Code Female Conn. PCB Type Shielded				Amphenol LTW 安費諾亮泰企業股份有限公司		Yulong_wang		2016-08-24		
		SCALE 3:2	SIZE A4	SHEET 2 OF 2	DWG NO MSDS-XXPFFP-SF8XXX			CHECKED BY Jinhai		DATE 2016-08-24		
		REV. C	WC-REV. A.3	QC: Inspection item	CUSTOMER ALTW			APPROVED BY Jerry		DATE 2016-08-24		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Amphenol:](#)

[MSDS-04PFFP-SF8001](#) [MSDS-04PFFP-SF8002](#)