


REVISIONS								
REV	ECO	DESCRIPTION	DATE	BY	APPR			
B1	-	RELEASE NEW DWG FORMAT	06/16/14	TOD	TOMMY			







NOTES: UNLESS OTHERWISE SPECIFIED

1. MATERIAL: COPPER ALLOY, GOLD PLATED

2. SPECIFICATIONS:

2.1 RATED CURRENT: 30 AMPS

2.2 CONTACT RESISTANCE: <3 milliohm

2.3 AVAILABLE WIRE RANGE: 18AWG~14AWG

2.4 RoHS COMPLIANT

3. ALL DIMENSIONS ARE FOR REFERENCE USE ONLY.

SEE PART NUMBER												
QUANTITY	PART N	IART IUMBER		DE	SCRIPTION		ITEM					
MATERIALS LIST												
UNLESS OTHER		SIGNATURES	DATE	Amphonol								
Tolerances are a PL DEC +0.30	are in metric(mm). as follows: Fractions ±1/64 Angles ±1°	DRAWN: Tod	06/16/14	Amphenol								
2 PL DEC ±0.15 3 PL DEC ±0.08		CHECKED:		Sine Systems - www.amphenol-sine.com								
3) Note reference = X		ENGINEER:		44724 Morley Drive Clinton Township, MI 48036								
MATERIAL SPECIFICA	ATIONS:	APPROVAL:			Clinton Township, IVII 460	/30						
		CUSTOMER:		Pin contact,14#,Crimp 18~14AWG								
		THIS DRAWING IS SUPPLIED FOR INFORMATION ONLY, DESIGN FEATURES.		1								
PROCESS SPECIFICATIONS: NEXT ASS'Y:		SPECIFICATIONS AND PERFORMANCE DATA SHOWN HEREON ARE THE PROPERTY OF THE AMPHENOL CORPORATION. NO RIGHTS OF THE REPRODUCTION ARE IMPLIED. ALL DIMENSIONS ARE SUBJECT TO NORMAL		B C-	SC0000	36	B1					
				SCALE: NONE		SHEET 1 OI	F 1					

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:

SC000036 MB1GJNNG36 MB1LKNNG36