

- 6711 APP'D







SEAL HOLE -BOTH ENDS WITH RTV

NOTES:

- 1. MATERIALS:
 - HOUSING: POLYETHERIMIDE, COLOR BLACK GROMMET: SILICONE ELASTOMER, COLOR BLUE INTERNAL CONTACT: COPPER ALLOY, GOLD PLATED, PER MIL-DTL-45204, TYPE I, GRADE C, CLASS I.

CONTACT RETAINER: STAINLESS STEEL

- 2. SPLICE ACCEPTS (2) MATING M39029/1-101 CONTACTS (INCLUDED)
- 3. PART COMPLIES TO ALL REQUIREMENTS PER SAE-AS81714.
- 4. RESISTOR: 4.7K Ω , 0.75W, \pm 1½, RS-1/2 4K700 FB12 PER MIL-PRF-26

DIMENSIONS	TOLERANCES	PROJECTION Amphenol Pcd		WIRE SPLICE, ELECTRONIC					\neg	
ANSI Y14.5M UNITS: INCHES	.XX ±0.01 .XXX ±0.005	0 0	SPECIFICATION DRAWING		RESISTOR, 4.7K Ω , 0.75W, 1%					
Pro/E FILE	ANGLES ±2.0°		<i>DRWN</i> M. DIGIACOMO	8/24/2010	SIZE 20					
	THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION WHICH IS THE CONFIDENTIAL PROPERTY OF AMPHENOL PCD INC., BEVERLY, MA		ENGR DOL	6/21/2011	SIZE	DWG NO.	JSE20727		REV	
			Jak c/2/4		COD		SCALE: 2:1	SHEET	1 OF	1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol: TJSE20727