

A

B

C

D

Kits	Top cover	Bottom Cover	Cable Clamp	Shroud	Terminal Block	Screw 1	Screw 2	Cannula	Wire
10118971-X01LF	1	1	1	1	2	3	2	1	24&26
10118971-X02LF	1	1	1	1	2	3	2	1	28&30
10118971-X03LF	1	1	1	1	2	3	2	N/A	24&26
10118971-X04LF	1	1	1	1	2	3	2	N/A	28&30
N/A	Qty								N/A

Screw 1  
(X3)

Cable clamp

Cannula

Top cover

Screw 2  
(X2)

Cable

Bottom cover

Terminal block

shroud

Assembled

spec ref		dr		De-Feng Qin		2011/10/23		<div>projection</div> <div></div>		<div>MM</div> <div></div>		size		scale			
tolerance std <div>ISO 406</div> <div>ISO 1101</div>		TOLERANCES UNLESS OTHERWISE SPECIFIED		eng		Narayanan, Aru						2021/01/28		A4		1:1	
				chr		-						-		ecn no		ELX-I-39745-1	
				appr		Kuriakose, San						2021/01/28		product family		rel level	
surface <div>ISO 1302</div> <div>✓</div>		linear		0.X		±0.3		<div>Amphenol FCI</div>		title 64p EITl cable kits Vertical cable outlet		dwg no 10118971		rev C			
				0.XX		±0.15											
				0.XXX		±0.050											
		angular		0°		±3°		amphenol-icc.com		cat. no.		Product - Customer Drw		sheet 1 of 2			

Creo File:ELX-MC-AAC\_REV F\_2020-12-21

2


3

PDS: Rev :C


STATUS:Released

Printed: Jan 28, 2021

10118971-X03LF/X04LF



10118971-X01LF/X02LF



## Notes:

1. This product is not intended to be exposed to a manufacturing solder process.
2. Material:  
Die-casting cover & Cannula: Zn alloy with Cu, Nickle & bright Tin plating.  
Shroud & terminal block housing: PBT  
Terminal contact: Copper alloy  
Screw: Stainless steel
3. For plating performance refer drawing # 10159408.  $\triangle$
4. Cable O.D:  $\varnothing 13 \sim 16.2\text{mm}$
5. Product specification : GS-12-587  
Packaging specification : GS-14-1306  
Application specification : GS-20-123
6. This product meets european union directives as  $\triangle$  described in gs-47-0004.
7. Applicable wire insulation  $\varnothing 0.90\text{MM}$  Max.  $\triangle$
8. A  $\triangle$  symbol will be next to any dimension, view, or note which has been modified with the current drawing revision.

spec ref		dr		De-Feng Qin	2011/10/23	<div>projection</div>	<div>MM</div>	size	A4	scale	1:1		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Narayanan, Aru			2021/01/28	ecn no				ELX-I-39745-1
				chr	-			-	rel level				Released
				appr	Kuriakose, San			2021/01/28	product family				
surface	linear	0.X	±0.3	Amphenol FCI	title				64p EITl cable kits	dwg no	10118971	rev	C
		0.XX	±0.15										
		0.XXX	±0.050										
	ISO 1302	angular	0°	±3°	amphenol-icc.com	cat. no.				Product - Customer Drw			sheet 2 of 2

Creo File: ELX-MC-ARC, REV F, 2020-12-21

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[10118971-101LF](#) [10118971-202LF](#) [10118971-102LF](#)