
# **PRODUCT DATA DRAWING**



### **MATERIAL:**

BODY & CONTACT: BERYLLIUM COPPER ALLOY C17300 PER ASTM B196

INSULATOR: PTFE PER ASTM D1710, TYPE I, GRADE 1, CLASS B

### FINISH:


BODY & CONTACT:	GOLD PER ASTM B 488, TYPE II, CODE C, CLASS 1.27;
	OVER NICKEL PER AMS-QQ-N-290, CLASS 1, .00005" MIN.

**PERFORMANCE** IMPEDANCE: FREQ. RANGE:

50 OHMS DC TO 40.0 GHz

MATERIAL:	SEE NOTES	DIMENSIONS ARE IN INCHES TOLERANCES: FRACTIONAL: ±1/64 ANGULAR: X* ±1*0' X*X* ±15'	UNLESS OTHERWISE SPECIFIED 1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS] 2) ALL DIMENSIONS ARE AFTER PLATING.		SV Microwave, Inc. 2400 Centrepark West Drive, Suite 100		
SURFACE AR	SEE NOTES REA: N/A	DECIMAL: X ± 030 XX ± 010 XXX ± 005 INTERPRET DIMENSIONS AND TOLERANCES	<ol> <li>ALL DIMENSIONS ARE AFT</li> <li>BREAK CORNERS &amp; EDGE:</li> <li>CHAM. 1ST &amp; LAST THREA.</li> <li>SURFACE ROUGHNESS 63</li> <li>DIA.'S ON COMMON CENTE WITHIN T.I.R.</li> <li>ROVE ALL BURRS</li> </ol>	S .005 R. MAX. DS. √MIL-STD-10.	V TITLE:	EMALE TO F	
THE INFORMAT	PROPRIETARY TION CONTAINED IN THIS DRAWING ROPERTY OF SV MICROWAVE, INC.	THIRD ANGLE PROJECTION	DRAWN:	NHR 11/09/09	ADAPTOR SIZE CAGE CODE DWG. NO. B 95077 1132-4010		10
ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SV MICROWAVE, INC IS PROHIBITED.		CHECKED: APPROVED:	DAL 11/09/09 DAL 11/09/09	B 95077 SCALE: 25:1	1132-40	SHEET 1 OF 1	

REVISION HISTORY						
REV	DESCRIPTION	DATE	APPROVED			
01	PRELIMINARY	11/09	DAL			
-	NRN 37463	06/12	STW			



## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol: <u>1132-4010</u>