
ROHS COMPLIANT

PRODUCT DATA DRAWING

	REVISION HISTORY				
REV		DESCRIPTION	DATE	APPROVED	
	-	NRN 42970	04/19	GPF	



MATERIAL:

2.4MM PLUG (SF1611-60001) **CONNECTORS**:

2.92MM PLUG (SF1511-60069)

CABLE: FLEXIBLE Ø.047 CABLE

SHRINK TUBING: M23053/5

PERFORMANCE:

IMPEDANCE: 50 OHMS

FREQ. RANGE: DC TO 40.0 GHz

				SV P/N		OAL
				7016-0060	6	6.000
				7016-0061	12	2.000
RIAL:	SEE NOTES	DIMENSIONS ARE IN INCHES TOLERANCES:	UNLESS OTHERWISE SF	PECIFIED	S	Amphenol
	0		ONLEGO OTTIENWICE OF	LOII ILD		DIIMAL

MATERIAL: S	SEE NOTES	
FINISH: S	SEE NOTES	
SURFACE AREA:	N/A	
PRO	OPRIETARY	
IS THE SOLE PROPI ANY REPRODUCTION	CONTAINED IN THIS DI ERTY OF SV MICROWA DN IN PART OR AS A W TTEN PERMISSION OF IC IS PROHIBITED.	νE,

	FRACTIONAL: ±1/64 ANGULAR: X° ±1°0' DECIMAL: X ±.030 X°X' ±15' .XX ±.010 .XXX ±.005				
	INTERPRET DIMENSIONS AND TOLERANCES PER ASME Y14.5M - 1994				
Ī	THIRD ANGLE PROJECTION				

IONAL: ±1/64 ANGULAR: X° ±1°0' X°X' ±15' AL: X ±.030 XX ±.010 XX ±.010 XXX ±.005 PRET DIMENSIONS AND TOLERANCES SME Y14.5M - 1994	1) ALL DIMENSIONS ARE IN INCHES [MILLIMETERS] 2) ALL DIMENSIONS ARE AFTER PLATING, 3) BREAK CORNERS & EDGES .005 R. MAX. 4) CHAM. 1ST & LAST THREADS. 5) SUFFACE ROUGHINESS 63 · MIL-STD-10. 6) DIA ·S ON COMMON CENTERS TO BE CONCENTRIC WITHIN .005 T.I.R. 7) REMOVE ALL BURRS		
RD ANGLE PROJECTION	DRAWN:	SJ 04/24/19	
	CHECKED:	GPF 04/24/19	
	APPROVED:	GPF 04/24/19	

MICROWAVE	
2400 Centrepark West Drive, Suite 100 West Palm Beach, FL 33409	

2.4MM PLUG TO 2.92MM PLUG FOR FLEXIBLE Ø.047 CABLE **ASSEMBLY**

)	SIZE B	95077	DWG.	^{NO.} 7016-006	80-0061
)	SCALE: 2:1				SHEET 1 OF 1

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Amphenol:

7016-0061 7016-0060