




THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.

	I	2	3	4	5	6	7	8	THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.		
F					REV.	ECN NO.	DATE	SIGN		DESCRIPTION	
E											
D											
C	SLKC - XXEGFS - XCP - XXX SERIAL NO. KEY POINT ① PIN CONFIGURATION ② SIZE(CONNECTOR)										
B	KEY POINT ①										
A	CODE	G	A	B	C	D					
	GRAPHIC	0° 	30° 	45° 	60° 	95° 					
	PIN CONFIGURATION (Solder Definition) ②										
	GRAPHIC	 2 PIN	 3 PIN	 4 PIN	 5 PIN	 6 PIN	 7 PIN	 8 PIN	 10 PIN	 14 PIN	 16 PIN
	UNIT:mm		TITLE FLO PLUS K C PANEL CONNECTOR			ITEM NO			DRAWN BY Ouyang		DATE 2019-12-04
	TOLERANCE	±0.5mm	SCALE 1:1	SIZE A4	SHEET 2 OF 2	DWG NO SLKC-XXEGFS-XCP-XXX			CHECKED BY Jerry		DATE 2019-12-04
			REV. A	WC-REV. .0	QC:Inspection item	CUSTOMER ALTW			APPROVED BY Fred		DATE 2019-12-04
	I	2	3	4	5	6	7	8	W10814-03-BM01A2		

	I	2	3	4	5	6	7	8	THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.		
F					REV.	ECN NO.	DATE	SIGN		DESCRIPTION	
E											
D											
C	SLKC - XXEGFS - XCP - XXX SERIAL NO. KEY POINT ① PIN CONFIGURATION ② SIZE(CONNECTOR)										
B	KEY POINT ①										
A	CODE	G	A	B	C	D					
	GRAPHIC	0° 	30° 	45° 	60° 	95° 					
	PIN CONFIGURATION (Solder Definition) ②										
	GRAPHIC	 2 PIN	 3 PIN	 4 PIN	 5 PIN	 6 PIN	 7 PIN	 8 PIN	 10 PIN	 14 PIN	 16 PIN
	UNIT:mm		TITLE FLO PLUS K C PANEL CONNECTOR			ITEM NO			DRAWN BY Ouyang		DATE 2019-12-04
	TOLERANCE	±0.5mm	SCALE 1:1	SIZE A4	SHEET 2 OF 2	DWG NO SLKC-XXEGFS-XCP-XXX			CHECKED BY Jerry		DATE 2019-12-04
			REV. A	WC-REV. .0	QC:Inspection item	CUSTOMER ALTW			APPROVED BY Fred		DATE 2019-12-04
	I	2	3	4	5	6	7	8	W10814-03-BM01A2		

[illegible]

	I	2	3	4	5	6	7	8		
F					REV.	ECN NO.	DATE	SIGN	DESCRIPTION	
E	SLKC - XXEGFS - XCP - XXX									
D					SERIAL NO.					
C					KEY POINT ①					
B					PIN CONFIGURATION ②					
A					SIZE(CONNECTOR)					
KEY POINT ①										
CODE	G	A	B	C	D					
GRAPHIC	0° 	30° 	45° 	60° 	95° 					
PIN CONFIGURATION (Solder Definition) ②										
GRAPHIC	 2 PIN	 3 PIN	 4 PIN	 5 PIN	 6 PIN	 7 PIN	 8 PIN	 10 PIN	 14 PIN	 16 PIN
UNIT:mm TOLERANCE ±0.5mm	TITLE FLO PLUS K C PANEL CONNECTOR			Amphenol LTW 安費諾亮泰企業股份有限公司		ITEM NO. DWG NO SLKC-XXEGFS-XCP-XXX CUSTOMER ALTW		DRAWN BY Ouyang CHECKED BY Jerry APPROVED BY Fred		DATE 2019-12-04 DATE 2019-12-04 DATE 2019-12-04
	I	2	3	4	5	6	7	8	WI0814-03-BM01A2	

				REV.	ECN NO.	DATE	SIGN	DESCRIPTION					
SLKC - XXEGFS - XCP - XXX													
				SERIAL NO.									
				KEY POINT ①									
				PIN CONFIGURATION ②									
				SIZE(CONNECTOR)									
KEY POINT ①													
CODE	G	A	B	C	D								
GRAPHIC	0°	30°	45°	60°	95°								
PIN CONFIGURATION (Solder Definition) ②													
GRAPHIC													
2 PIN	3 PIN	4 PIN	5 PIN	6 PIN	7 PIN	8 PIN	10 PIN	14 PIN	16 PIN				
UNIT:mm			TITLE	FLO PLUS K C PANEL CONNECTOR	Amphenol LTW	ITEM NO		DRAWN BY	Ouyang	DATE	2019-12-04		
TOLERANCE	±0.5mm	SCALE	1:1	SIZE	A4	SHEET	2 OF 2	CHECKED BY	Jerry	DATE	2019-12-04		
REV.	A	WC-REV.	.0	QC:Inspection item	安費諾亮泰企業股份有限公司	CUSTOMER	ALTW	APPROVED BY	Fred	DATE	2019-12-04		

				REV.	ECN NO.	DATE	SIGN	DESCRIPTION					
SLKC - XXEGFS - XCP - XXX													
				SERIAL NO.									
				KEY POINT ①									
				PIN CONFIGURATION ②									
				SIZE(CONNECTOR)									
KEY POINT ①													
CODE	G	A	B	C	D								
GRAPHIC	0°	30°	45°	60°	95°								
PIN CONFIGURATION (Solder Definition) ②													
GRAPHIC													
2 PIN	3 PIN	4 PIN	5 PIN	6 PIN	7 PIN	8 PIN	10 PIN	14 PIN	16 PIN				
UNIT:mm			TITLE	FLO PLUS K C PANEL CONNECTOR	Amphenol LTW	ITEM NO		DRAWN BY	Ouyang	DATE	2019-12-04		
TOLERANCE	±0.5mm	SCALE	1:1	SIZE	A4	SHEET	2 OF 2	CHECKED BY	Jerry	DATE	2019-12-04		
REV.	A	WC-REV.	.0	QC:Inspection item	安費諾亮泰企業股份有限公司	CUSTOMER	ALTW	APPROVED BY	Fred	DATE	2019-12-04		

	I	2	3	4	5	6	7	8	THIS DOCUMENT IS SUBJECT TO CHANGE WITHOUT NOTICE. IT IS CONFIDENTIAL AND A PROPERTY OF Amphenol LTW. DISCLOSURE TO THIRD PARTY HAS TO BE AUTHORIZED BY Amphenol LTW.																								
F					REV.	ECN NO.	DATE	SIGN		DESCRIPTION																							
E																																	
D																																	
C	SLKC - XXEGFS - XCP - XXX SERIAL NO. KEY POINT ① PIN CONFIGURATION ② SIZE(CONNECTOR)																																
B	KEY POINT ① <table><tr><td>CODE</td><td>G</td><td>A</td><td>B</td><td>C</td><td>D</td></tr><tr><td>GRAPHIC</td><td>0° </td><td>30° </td><td>45° </td><td>60° </td><td>95° </td></tr></table> PIN CONFIGURATION (Solder Definition) ② <table><tr><td>GRAPHIC</td><td> 2 PIN</td><td> 3 PIN</td><td> 4 PIN</td><td> 5 PIN</td><td> 6 PIN</td><td> 7 PIN</td><td> 8 PIN</td><td> 10 PIN</td><td> 14 PIN</td><td> 16 PIN</td></tr></table>									CODE	G	A	B	C	D	GRAPHIC	0° 	30° 	45° 	60° 	95° 	GRAPHIC	 2 PIN	 3 PIN	 4 PIN	 5 PIN	 6 PIN	 7 PIN	 8 PIN	 10 PIN	 14 PIN	 16 PIN	
CODE	G	A	B	C	D																												
GRAPHIC	0° 	30° 	45° 	60° 	95° 																												
GRAPHIC	 2 PIN	 3 PIN	 4 PIN	 5 PIN	 6 PIN	 7 PIN	 8 PIN	 10 PIN	 14 PIN	 16 PIN																							
A	UNIT:mm TOLERANCE ±0.5mm		TITLE FLO PLUS K C PANEL CONNECTOR SCALE 1:1 SIZE A4 SHEET 2 OF 2 REV. A WC-REV. .0 QC:Inspection item		Amphenol LTW 安費諾亮泰企業股份有限公司		ITEM NO DWG NO SLKC-XXEGFS-XCP-XXX CUSTOMER ALTW		DRAWN BY Ouyang CHECKED BY Jerry APPROVED BY Fred DATE 2019-12-04 DATE 2019-12-04 DATE 2019-12-04																								
	I	2	3	4	5	6	7	8	WI0814-03-BM01A2																								

	I	2	3	4	5	6	7	8	
F					REV.	ECN NO.	DATE	SIGN	DESCRIPTION
E									
D									
C									
B									
A									

[illegible]

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Amphenol:](#)

[SLKC-03EGFS-GCP-001](#)