


Customer Information Sheet

DRAWING No.: H2159-XX IF IN DOUBT - ASK NOT TO SCALE THIRD ANGLE PROJECTION ALL DIMENSIONS IN mm







- 1. UNLESS OTHERWISE STATED, TOLERANCES = ± 0.13 mm. 2. RECOMMENDED HOLE SIZE = \emptyset 1.07-1.15mm.
- 3. FOR USE WITH BOARD THICKNESS 0.80mm.
- 4. USE PUNCH AND DIE TOOL PART NUMBER Z2159-00.

ORDER CODE:

H2I59-XX

mm²

FINISH CODE —

MATERIAL:

S/AREA:


01 - 100% TIN OVER NICKEL

06 - 90/10 TIN/LEAD

05.06.17 20640 C/NOTE APPROVED: M. PERREN CHECKED: M. PLESTED DRAWN: F. PHILIPSON CUSTOMER REF.: ASSEMBLY DRG:

www.harwin.com technical@harwin.com

THIS DRAWING AND ANY INFORMATION OR DESCRIPTIVE MATTER SET OUT HEREON ARE
CONFIDENTIAL AND COPYRIGHT
PROPERTY OF THE HARWIN
GROUP AND MUST NOT BE
DISCLOSED, LOANED, COPIED OR USED FOR MANUFACTURING, TENDERING OR FOR ANY OTHER PURPOSE WITHOUT THEIR WRITTEN PERMISSION



ANNEALED BRASS CW614N M TO BS EN 12164

FINISH: SEE ABOVE TERMINAL

DRAWING NUMBER:

TITLE:

H2I59-XX

SHT ² OF 2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Harwin: H2159-01