



Aug.1.2021 Copyright 2021 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



EMBOSSED CARRIER TAPE PACKAGING (FREE)



C-C (5:1)




DIRECTION OF UNREELING




9 TAPING (FREE)

LEADER

D-D (5:1)



STYLE AND DIMENTION OF REEL (FREE)



10 REINFORCEMENT COLLAR

E-E (FREE)

TAPING

TAPE AND REEL POCKET

DETAIL OF PART NO. LABEL

製造年月日	** ** *
製品コード	CL0677-2014-0(51)
製品名	BM24-50DS/2-0.35V(51)
数量	10,000
納入者	ヒロセ電機(株)

DATA OF MANUFACTURED
CODE NO.
PART NO.
QUANTITY
SUPPLIER

7 . PER REEL 10,000 CONNECTORS.

8 . THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.

9 . REFER TO JIS C 0806, IEC 60286-3(PACKAGING OF COMPONENTS FOR AUTOMATIC HANDLING)

10 . AFTER PACKAGING, ROLL 2 METERS OF THE REINFORCEMENT COLLAR TO OUTER CIRCUMFERENCE OF TAPE AND REEL POCKET. AND TAPE DOWN AT THE END THE COLLAR.

HRS

DRAWING NO.	EDC-363787-51-00
PART NO.	BM24-50DS/2-0.35V(51)
CODE NO.	CL677-2014-0-51

1/2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[BM24-50DS/2-0.35V\(51\)](#)