


Aug.1.2021 Copyright 2021 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.




Aug.1.2021 Copyright 2021 HIROSE ELECTRIC CO., LTD. All Rights Reserved.  
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.


# EMBOSSED CARRIER TAPE PACKAGING (5:1)

C-C (5:1)

## STYLE AND DIMENSION OF REEL (FREE)




E-E (FREE)



B-B (5:1)

DIRECTION OF UNREELING

D (10:1)



## DETAIL OF PART NO. LABEL

製造年月日	** ** *
製品コード	CL6650-****-**
製品名	BM28B0.6-**
数量	20,000
納入者	ヒロセ電機(株)

DATA OF MANUFACTURED  
CODE NO.  
PART NO.  
QUANTITY  
SUPPLIER

10. PER REEL 20,000 CONNECTORS.

11. THE DIMENSIONS IN PARENTHESES ARE FOR REFERENCE.

12. REFER TO JIS C 0806, IEC 60286-3(PACKAGING OF COMPONENTS FOR AUTOMATIC HANDLING)

13. AFTER PACKAGING, ROLL 2 METERS OF THE REINFORCEMENT COLLAR TO OUTER CIRCUMFERENCE OF TAPE AND REEL POCKET. AND TAPE DOWN AT THE END THE COLLAR.

HRS

DRAWING NO.	EDC3-631923
PART NO.	BM28B0.6-58DP/2-0.35V(51)
CODE NO.	CL6650-0001-9-051

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[BM28B0.6-58DP/2-0.35V\(51\)](#)