








| COUNT |  | DESCRIPTION OF REVISIONS | BY | CHKD | DATE | COUNT | DESCRIPTION OF REVISIONS | BY | CHKD | DATE |
|-------|--|--------------------------|----|------|------|-------|--------------------------|----|------|------|
| △     |  |                          |    |      |      | △     |                          |    |      |      |
| △     |  |                          |    |      |      | △     |                          |    |      |      |
| △     |  |                          |    |      |      | △     |                          |    |      |      |

| PART NO.           |                 | HRS NO. |       | CONTACTS | A     | B     | C     | D     | E | F |
|--------------------|-----------------|---------|-------|----------|-------|-------|-------|-------|---|---|
| DF14-2P-1.25H(26)  | CL538-0021-4-26 | 2       | 7.45  | 1.25     | 2.95  | 3.65  | 6.45  | 8.05  |   |   |
| DF14-3P-1.25H(26)  | CL538-0022-7-26 | 3       | 8.70  | 2.50     | 4.20  | 4.90  | 7.70  | 9.30  |   |   |
| DF14-4P-1.25H(26)  | CL538-0023-0-26 | 4       | 9.95  | 3.75     | 5.45  | 6.15  | 8.95  | 10.55 |   |   |
| DF14-5P-1.25H(26)  | CL538-0024-2-26 | 5       | 11.20 | 5.00     | 6.70  | 7.40  | 10.20 | 11.80 |   |   |
| DF14-6P-1.25H(26)  | CL538-0025-5-26 | 6       | 12.45 | 6.25     | 7.95  | 8.65  | 11.45 | 13.05 |   |   |
| DF14-7P-1.25H(26)  | CL538-0026-8-26 | 7       | 13.70 | 7.50     | 9.20  | 9.90  | 12.70 | 14.30 |   |   |
| DF14-8P-1.25H(26)  | CL538-0027-0-26 | 8       | 14.95 | 8.75     | 10.45 | 11.15 | 13.95 | 15.55 |   |   |
| DF14-9P-1.25H(26)  | CL538-0028-3-26 | 9       | 16.20 | 10.00    | 11.70 | 12.40 | 15.20 | 16.80 |   |   |
| DF14-10P-1.25H(26) | CL538-0029-6-26 | 10      | 17.45 | 11.25    | 12.95 | 13.65 | 16.45 | 18.05 |   |   |
| DF14-15P-1.25H(26) | CL538-0084-4-26 | 15      | 23.70 | 17.50    | 19.20 | 19.90 | 22.70 | 24.30 |   |   |
| DF14-20P-1.25H(26) | CL538-0089-8-26 | 20      | 29.95 | 23.75    | 25.45 | 26.15 | 28.95 | 30.55 |   |   |
| DF14-25P-1.25H(26) | CL538-0094-8-26 | 25      | 36.20 | 30.00    | 31.70 | 32.40 | 35.20 | 36.80 |   |   |
| DF14-30P-1.25H(26) | CL538-0020-1-26 | 30      | 42.45 | 36.25    | 37.95 | 38.65 | 41.45 | 43.05 |   |   |



RECOMMENDED PATTERN



NOTE 1. LEAD CO-PLANALITY INCLUDE REINFORCED METAL FITTING SHALL BE 0.1 MAX.  
 2. WHEN THIS CONNECTOR MATES WITH DF14-S-1.25C, THE MATTING LENGTH IS 7.3mm.  
 3. FOR CONNECTORS, 2 OR 3 CONTACTS, SIMPLIFIED LOCK HOLE SHALL BE SET AT THE CENTER OF HOUSING.



|   |                 |                                                                                |
|---|-----------------|--------------------------------------------------------------------------------|
| 3 | PHOSPHOR BRONZE | TIN-COPPER PLATED 1 $\mu$ m min<br>UNDER PLATING-NICKEL PLATED 0.5 $\mu$ m min |
| 2 | BRASS           | TIN-COPPER PLATED 1 $\mu$ m min<br>UNDER PLATING-NICKEL PLATED 0.5 $\mu$ m min |
| 1 | POLYAMIDE       | BEIGE, UL 94V-0                                                                |

| NO.            | MATERIAL | FINISH, REMARKS | NO.                          | MATERIAL                       | FINISH, REMARKS               |
|----------------|----------|-----------------|------------------------------|--------------------------------|-------------------------------|
| CODE NO. (OLD) |          |                 |                              |                                |                               |
| CL             |          |                 |                              |                                |                               |
|                |          |                 | DRAWN<br><i>F. Matsubara</i> | DESIGNED<br><i>S. Donpouya</i> | CHECKED<br><i>T. Miyajima</i> |
|                |          |                 | 03-3-5                       | 03-3-7                         | 03-03-25                      |
|                |          |                 |                              |                                | RELEASED                      |

|                                                                                                                      |                                                                                                                      |                               |                    |     |
|----------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------|-------------------------------|--------------------|-----|
| <br>SCALE<br>5 : 1<br>UNITS<br>mm | <br>DRAWING NO.<br>EDC3-160307-19 | PART NO.<br>DF14-*P-1.25H(26) | CODE NO.<br>CL538- | 1/2 |
|                                                                                                                      |                                                                                                                      |                               |                    |     |

| REVISIONS |                          |    |      | REVISIONS |       |                          |    |      |      |
|-----------|--------------------------|----|------|-----------|-------|--------------------------|----|------|------|
| COUNT     | DESCRIPTION OF REVISIONS | BY | CHKD | DATE      | COUNT | DESCRIPTION OF REVISIONS | BY | CHKD | DATE |
| △         |                          |    |      |           | △     |                          |    |      |      |
| △         |                          |    |      |           | △     |                          |    |      |      |
| △         |                          |    |      |           | △     |                          |    |      |      |
| △         |                          |    |      |           | △     |                          |    |      |      |

| PART NO.           | CONTACTS | G    | H    | J  | K     | M    |
|--------------------|----------|------|------|----|-------|------|
| DF14- 2P-1.25H(26) | 2        | 7.5  | -    | 16 | 7.85  | 16.4 |
| DF14- 3P-1.25H(26) | 3        | 7.5  | -    | 16 | 9.1   | 16.4 |
| DF14- 4P-1.25H(26) | 4        | 11.5 | -    | 24 | 10.35 | 24.4 |
| DF14- 5P-1.25H(26) | 5        | 11.5 | -    | 24 | 11.6  | 24.4 |
| DF14- 6P-1.25H(26) | 6        | 11.5 | -    | 24 | 12.85 | 24.4 |
| DF14- 7P-1.25H(26) | 7        | 11.5 | -    | 24 | 14.1  | 24.4 |
| DF14- 8P-1.25H(26) | 8        | 11.5 | -    | 24 | 15.35 | 24.4 |
| DF14- 9P-1.25H(26) | 9        | 11.5 | -    | 24 | 16.6  | 24.4 |
| DF14-10P-1.25H(26) | 10       | 11.5 | -    | 24 | 17.85 | 24.4 |
| DF14-15P-1.25H(26) | 15       | 20.2 | 40.4 | 44 | 24.1  | 44.4 |
| DF14-20P-1.25H(26) | 20       | 20.2 | 40.4 | 44 | 30.35 | 44.4 |
| DF14-25P-1.25H(26) | 25       | 26.2 | 52.4 | 56 | 36.6  | 56.4 |
| DF14-30P-1.25H(26) | 30       | 26.2 | 52.4 | 56 | 42.85 | 56.4 |



|                                                                                       |          |                          |       |          |                 |
|---------------------------------------------------------------------------------------|----------|--------------------------|-------|----------|-----------------|
| NO.                                                                                   | MATERIAL | FINISH, REMARKS          | NO.   | MATERIAL | FINISH, REMARKS |
| CODE NO. (OLD)                                                                        |          | CL                       | DRAWN | DESIGNED | CHECKED         |
| CL                                                                                    |          |                          |       |          |                 |
| DRAWING NO.                                                                           |          | PART NO.                 |       |          |                 |
| EDC3-160307-19                                                                        |          | DF14-P-1.25H(26)         |       |          |                 |
| SCALE                                                                                 | FREE     | CODE NO.                 |       |          |                 |
| UNITS                                                                                 | mm       | HIROSE ELECTRIC CO., LTD |       |          |                 |
|  |          | CL538-                   |       |          |                 |
|                                                                                       |          | 2                        |       |          |                 |

| 生産月日  | 年 月 日             |
|-------|-------------------|
| CLコード | 538-*****-26      |
| 品名    | DF14-*P-1.25H(26) |
| 納入数量  | 1000個             |
| 納入者   | ヒロセ電機株式会社         |

NOTES 4 1 REEL : 1000 CONNECTORS.

5 AT THE BEGINNING OF THE REEL, 30 COMPONENTS SHALL BE EMPTY.

6 > AT THE END OF THE REEL : 20 COMPONENTS SHALL BE EMPTY.

WHEN THE TAPE WIDTH IS 44 TO 56mm. SPROCKET HOLES SHALL

BE SET ON BOTH SIDES OF REEL AS SHOWN ON THIS DRAWING.

# Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[DF14-20P-1.25H\(26\)](#)