





Sep.1.2021 Copyright 2021 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.




- NOTE 1. ALL LEADS CO-PLANARITY SHALL BE 0.1 MAX.
2. PER REEL : 5000 CONNECTORS.
3. AT THE BEGINNING OF THE REEL, 100 MM AT MIN SHALL BE EMPTY POCKETS.
AT THE END OF THE REEL, 160 MM AT MIN SHALL BE EMPTY POCKETS.
4. CONTACT PLATING SPECIFICATIONS.
CONTACT AREA : GOLD 0.05μm MIN.
SMT LEAD : GOLD 0.02μm MIN.
UNDERPLATING : NICKEL 1μm MIN.
(SURFACE : SEALING)

RECOMMENDED PATTERN



RECOMMENDED SOLDER PASTE THICKNESS:120μm

A-A(20:1)




COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
3	RE-H-06741	A.T	T.S	05.01.28					
1	DIS-H-001096	A.A	T.M	66.06.29					

			△5		PS	PLASTIC REEL (BLACK)		
2	PHOSPHOR BRONZE	4	4		POLYESTER	CLEAR(CAVER TAPE)		
1	LCP	UL94V-0, BLACK		3	PS	CLEAR(EMBOSSD CARRIER TAPE)		
NO.		MATERIAL		FINISH, REMARKS				
NO.		MATERIAL		FINISH, REMARKS				
CODE NO. (OLD)				DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED
				T.NISHI	K.MIDORIKAWA	S.TOMIOKA	S.TOMIOKA	
				'04.06.11	'04.06.11	'04.06.11	'04.06.11	.
		DRAWING NO.			PART NO.			
SCALE		EDC3-303461-03			DF30FC-20DS-0.4V(81)			
10 : 1		HRS HIROSE ELECTRIC CO., LTD			CODE NO.			
UNITS					CL684-1109-8-81			
mm					1			

Sep.1.2021 Copyright 2021 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

TO



CODE NO. (OLD)	DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED
	T.NISHI	K.MIDORIKAWA	S.TOMIOKA	S.TOMIOKA	
	'04.06.11	'04.06.11	'04.06.11	'04.06.11	
SCALE 5 : 1	DRAWING NO. EDC3-303461-03		PART NO. DF30FC-20DS-0.4V(81)		
UNITS mm	HRS HIROSE ELECTRIC CO., LTD		CODE NO. CL684-1109-8-81		
					2

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[DF30FC-20DS-0.4V\(81\)](#)