



- NOTES 1 APPLICABLE CRIMPING TOOL : JIS C 9711(COMPRESSION TOOLS FOR WIRE CONNECTORS OF INTERIOR WIRING)
OR EQUIVALENT CRIMPING TOOL.
- 2 APPLICABLE EXTRACTION TOOL : EM-8-TP(CCL150-0249-3)
- 3 ONE BAG INCLUDES 4PCS OF PRODUCTS.
- 4 THE WIRING OF THIS PRODUCT SHALL CONFORM TO ATAD-C0155.
- 5 REFER TO ASSEMBLY PROCEDURE AND HANDLING MANUAL (ATAD-C0222) FOR THE ASSEMBLY OF THIS PRODUCT.

2	PBT	UL94V-0 (BLACK)							
1	COPPER ALLOY	OVER PLATING: TIN 1µm min. UNDER PLATING: NICKEL 1µm min.	3	JIS C 2806	NON-INSULATED CRIMP-TYPE SLEEVES FOR COPPER CONDUCTORS OPEN END CONNECTORS E-M				
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS				
UNITS mm		SCALE 2 : 1	COUNT 	DESCRIPTION OF REVISIONS	DESIGNED	CHECKED	DATE		
HIROSE ELECTRIC CO., LTD.		APPROVED : EJ. KUNII	12. 04. 24	DRAWING NO.	EDC4-115602-01				
		CHECKED : HY. KISHI	12. 04. 23	PART NO.	EM-PC-113(01)				
		DESIGNED : HK. NAMA I	12. 04. 23	CODE NO.	CL138-0011-8-01				
		DRAWN : HK. NAMA I	12. 04. 23						

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[EM-PC-113\(01\)](#)