



NOTES

- 1 SMT LEAD-COPLANARITY: 0.1 MAX.
- 2 THIS PRODUCT HAS NO POLARITY TO PATTERN FOR MOUNTING.
- 3 MAKE SURE WIDTH OF PATTERN IS WITHIN THAT OF LAND, OR LEAD MAY TOUCH PATTERN. (THIS APPLIES TO HATCHED  AREA.)
- 4 THE DIMENSIONS IN PARENTHESSES ARE FOR REFERENCE.

NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS	DESIGNED	CHECKED	DATE
						DRAWING NO.	PART NO.	CODE NO.
1	LCP	BEIGE UL94V-0	2	PHOSPHOR BRONZE	TIN-PLATING CONTACT AREA: GOLD 0.1μm min. LEAD AREA: TIN-PLATING 1μm min. UNDER PLATING: NICKEL 1μm min.	09.04.14	EDC3-151973-25	
3	PHOSPHOR BRONZE		4	PHOSPHOR BRONZE		09.04.14	FX10B-120P-SV1(71)	
5	HIROSE ELECTRIC CO., LTD.		6			09.04.13	CL570-0152-0-71	1/1
7			8					

HRS

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[FX10B-120P-SV1\(71\)](#)