


COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE

A


A

34.5±0.2



B


40.6±0.3




RECOMMENDED LAND PATTERN DIMENSION OF PCB

C

C



SIGNAL PORTION CROSS SECTION (10:1)



E

E

2	COPPER ALLOY	CONTACT AREA: GOLD (0.1µm) OVER NICKEL
1	LCP	LEAD: GOLD FLASH OVER NICKEL

3	PHOSPHOR BRONZE	TIN PLATED
NO.	MATERIAL	FINISH, REMARKS

CODE NO. (OLD)	CL
CODE NO. (NEW)	CL

DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED

DRAWING NO.	PART NO.
EDC3-152103-01	FX11LA-140P-SV (21)

SCALE	5:1
UNITS	mm

HIROSE ELECTRIC CO., LTD.	CL573-0045-0-21
---------------------------	-----------------

- NOTES 1 SMT LEAD-COPLANARITY: 0.1 MAX.
2 THIS PRODUCT HAS NO POLARITY TO PATTERN FOR MOUNTING.
3 MAKE SURE WIDTH OF PATTERN IS WITHIN THAT OF LAND, OR LEAD MAY TOUCH PATTERN. (THIS APPLIES TO HATCHED AREA.)
4 DO NOT MOUNT OTHER DEVICES ONTO [] AREA, OR MATING PAIR CANNOT BE MATED.
5 TO BE EMBOSSED CARRIER TAPED AS SPECIFIED IN SHEET 2.

TO
PCK

F

1

2

3

4

5


6

7

8


COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
△					△				
△					△				
△					△				

REELED DIMENSION (Free)



THE DIRECTION OF PULLING OUT

A (5:1)



- NOTES 1 1 REEL: 1000 CONNECTORS.
2 MINIMUM 10 COMPARTMENTS FROM BOTH REEL ENDS REMAIN EMPTY.
3 THIS PRODUCT HAS NO POLARITY TO TAPE AND REEL PACKAGING.

2	PET	TOP COVER TAPE	3	(CONNECTOR)	FINISH, REMARKS
1	PS	EMBOSSED CARRIER TAPE	3	(CONNECTOR)	FINISH, REMARKS
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
CODE NO. (OLD)	CL	DRAWN	DESIGNED	CHECKED	APPROVED
DRAWING FOR PACKING		MATERIAL		RELEASED	
DRAWING NO.		PART NO.		PART NO.	
EDC3-152103-01		FX11LA-140P-SV(21)		FX11LA-140P-SV(21)	
SCALE	2:1	CODE NO.		CODE NO.	
UNITS	mm	CL573-0045-0-21		CL573-0045-0-21	

TO	PCK			
----	-----	--	--	--

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[FX11LA-140P-SV\(21\)](#)