



4	PHOSPHOR BRONZE	TIN-PLATING	2	PHOSPHOR BRONZE	CONTACT AREA: GOLD 0.1μm min.
3	PHOSPHOR BRONZE	TIN-PLATING			LEAD AREA: GOLD FLASH
1	LCP	BEIGE UL94V-0			UNDER PLATING: NICKEL 1μm min.
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS



B-B (10 : 1)




Technical drawing of a PCB layout showing dimensions and tolerances. The drawing includes a top view and a side view. The top view shows a rectangular layout with a central horizontal strip of components. The dimensions are as follows:

- Overall width: $25.4^{+0.1}_0$
- Overall height: 22.2^{+0}_0
- Central strip width: 20.8 ± 0.05
- Central strip height: 17.5 ± 0.05
- Component pitch: 0.5 ± 0.03 , 0.75 ± 0.03 , 0.75 ± 0.03
- Component width: 0.65 ± 0.05
- Component height: 4.0 ± 0.1
- Component diameter: $\phi 1 \pm 0.05$
- Component length: 12 ± 0.05
- Component width (metal mask): 0.7 ± 0.03 (LAND PATTERN), 0.6 ± 0.03 (METAL MASK)
- Component width (metal mask): 0.3 ± 0.03 (LAND PATTERN), 0.25 ± 0.03 (METAL MASK)
- Component width (metal mask): 4.4 ± 0.05
- Component width (metal mask): 6 ± 0.05

- | | | | | | | |
|---|---|-------------------------|---------------------------------|-----------------------------|-----------------------------|----------|
| CODE NO. (OLD)
CL | | DRAWN | DESIGNED | CHECKED | APPROVED | RELEASED |
| | | A. SUZUKAWA
06.09.28 | <i>A. Nakamura</i>
06.09.28 | <i>K. Ozawa</i>
06.09.29 | <i>H. Okawa</i>
06.09.30 | |
| 
SCALE
5 : 1 | DRAWING NO.
EDC3-152108-22 | | PART NO.
FX11LA-60S/6-SV(92) | | | |
| |  HIROSE ELECTRIC CO., LTD. | | CODE NO.
CL573-0102-1-92 | | | 1/2 |

Sep.1.2021 Copyright 2021 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

TO
PCK



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[FX11LA-60S/6-SV\(92\)](#)