




	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
✓						△				
✓						△				
✓						△				



RECOMMENDED LAND PATTERN DIMENSION OF PCB



SIGNAL PORTION CROSS SECTION (10:1)





2	COPPER ALLOY	CONTACT AREA: GOLD (0.1µm) OVER NICKEL
		LEAD: COLD FLASH OVER NICKEL
1	LCP	BEIGE UL94V-0
NO.	MATERIAL	FINISH, REMARKS
CODE NO. (OLD)		DRAWING NO. EDC3-152613-01 HRS HIROSE ELECTRIC CO., LTD.
CL		
		
SCALE		
5 : 1		
UNITS		
mm		

3	PHOSPHOR BRONZE	TIN PLATED		
NO.	MATERIAL	FINISH	REMARKS	
1	DESIGNED	CHECKED	APPROVED	RELEASED
2	20.06.20	20.06.21	20.06.23	
3	20.06.20	20.06.21	20.06.23	
4	20.06.20	20.06.21	20.06.23	
5	20.06.20	20.06.21	20.06.23	
6	20.06.20	20.06.21	20.06.23	
7	20.06.20	20.06.21	20.06.23	
8	20.06.20	20.06.21	20.06.23	
9	20.06.20	20.06.21	20.06.23	
10	20.06.20	20.06.21	20.06.23	
11	20.06.20	20.06.21	20.06.23	
12	20.06.20	20.06.21	20.06.23	
13	20.06.20	20.06.21	20.06.23	
14	20.06.20	20.06.21	20.06.23	
15	20.06.20	20.06.21	20.06.23	
16	20.06.20	20.06.21	20.06.23	
17	20.06.20	20.06.21	20.06.23	
18	20.06.20	20.06.21	20.06.23	
19	20.06.20	20.06.21	20.06.23	
20	20.06.20	20.06.21	20.06.23	
21	20.06.20	20.06.21	20.06.23	
22	20.06.20	20.06.21	20.06.23	
23	20.06.20	20.06.21	20.06.23	
24	20.06.20	20.06.21	20.06.23	
25	20.06.20	20.06.21	20.06.23	
26	20.06.20	20.06.21	20.06.23	
27	20.06.20	20.06.21	20.06.23	
28	20.06.20	20.06.21	20.06.23	
29	20.06.20	20.06.21	20.06.23	
30	20.06.20	20.06.21	20.06.23	
31	20.06.20	20.06.21	20.06.23	
32	20.06.20	20.06.21	20.06.23	
33	20.06.20	20.06.21	20.06.23	
34	20.06.20	20.06.21	20.06.23	
35	20.06.20	20.06.21	20.06.23	
36	20.06.20	20.06.21	20.06.23	
37	20.06.20	20.06.21	20.06.23	
38	20.06.20	20.06.21	20.06.23	
39	20.06.20	20.06.21	20.06.23	
40	20.06.20	20.06.21	20.06.23	
41	20.06.20	20.06.21	20.06.23	
42	20.06.20	20.06.21	20.06.23	
43	20.06.20	20.06.21	20.06.23	
44	20.06.20	20.06.21	20.06.23	
45	20.06.20	20.06.21	20.06.23	
46	20.06.20	20.06.21	20.06.23	
47	20.06.20	20.06.21	20.06.23	
48	20.06.20	20.06.21	20.06.23	
49	20.06.20	20.06.21	20.06.23	
50	20.06.20	20.06.21	20.06.23	
51	20.06.20	20.06.21	20.06.23	
52	20.06.20	20.06.21	20.06.23	
53	20.06.20	20.06.21	20.06.23	
54	20.06.20	20.06.21	20.06.23	
55	20.06.20	20.06.21	20.06.23	
56	20.06.20	20.06.21	20.06.23	
57	20.06.20	20.06.21	20.06.23	
58	20.06.20	20.06.21	20.06.23	
59	20.06.20	20.06.21	20.06.23	
60	20.06.20	20.06.21	20.06.23	
61	20.06.20	20.06.21	20.06.23	
62	20.06.20	20.06.21	20.06.23	
63	20.06.20	20.06.21	20.06.23	
64	20.06.20	20.06.21	20.06.23	
65	20.06.20	20.06.21	20.06.23	


- NOTES
- 1 SMT LEAD-COPLANARITY: 0.1 MAX.
 - 2 THIS PRODUCT HAS NO POLARITY TO PATTERN FOR MOUNTING.
 - 3  MAKE SURE WIDTH OF PATTERN IS WITHIN THAT OF LAND ,OR LEAD MAY TOUCH PATTERN. (THIS APPLIES TO HATCHED  AREA.)
 - 4  DO NOT MOUNT OTHER DEVICES ONTO  AREA ,OR MATING PAIR CANNOT BE MATED.
 - 5 TO BE EMBOSSED CARRIER TAPED AS SPECIFIED IN SHEET 2.

TO	PCK			
----	-----	--	--	--


COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE
△					△				
△					△				
△					△				



THE DIRECTION OF PULLING OUT 


$$A(5:1)$$

NOTES 1 1 REEL:1000 CONNECTORS.
2 MINIMUM 10 COMPARTMENTS FROM BOTH REEL ENDS REMAIN EMPTY.
3 THIS PRODUCT HAS NO POLARITY TO TAPE AND REEL PACKAGING.

2	PET	TOP COVER TAPE							
1	PS	EMBOSSED CARRIER TAPE		3	(CONNECTOR)				
NO.	MATERIAL	FINISH, REMARKS		NO.	MATERIAL	FINISH, REMARKS			
CODE NO. (OLD)		DRAWING NO. EDC3-152613-01		DRAWN		DESIGNED	CHECKED	APPROVED	RELEASED
CL				 CO. 06.20				00.06.23	.
DRAWING FOR PACKING									
		DRAWING NO.		PART NO.		FX11B-80P-SV(21)			
SCALE		EDC3-152613-01							
2 : 1									
UNITS		HRS		CODE NO.		CL573-0558-4-21			
mm		HIROSE ELECTRIC CO., LTD							
						2			

TO	PCK			
----	-----	--	--	--

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[FX11B-80P-SV\(21\)](#)