





Sep.1.2021 Copyright 2021 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.



Recommended land pattern dimension of PCB (mounting side) (2:1)
(Recommended metal mask thickness: 0.15mm)




- Notes
- 1 Lead CO-PLANARITY shall be 0.1mm max.
 - 2 Embossed carrier tape packaging shall be applied to this product. See next page for details.
 - 3 For modification, etc., preventive hole for sink mark may be added according to circumstances.
 - 4 The dimensions in parentheses are for reference.

2	PHOSPHOR BRONZE	Contact area: Gold 0.1μm min.	5	POLYESTER	(Top cover tape)
		Lead area: Tin-plating 2μm min.	4	POLYSTYRENE	(Embossed carrier tape)
		Under plating: Nickel 1μm min.	3	PPS	Light brown (UL94V-0)
1	PPS	Light brown (UL94V-0)			
NO.	MATERIAL	FINISH . REMARKS	NO.	MATERIAL	FINISH . REMARKS
UNITS mm		SCALE 5 : 1	COUNT 1		DESCRIPTION OF REVISIONS DIS-F-00006417
HIROSE ELECTRIC CO., LTD.		APPROVED : HS. OKAWA	20091113	DRAWING NO. EDC-151169-92-22	
		CHECKED : HT. YAMAGUCHI	20091113	PART NO. FX8C-40P-SV6(C92)	
		DESIGNED : SY. KAMIGA	20091112	CODE NO. CL578-0609-5-92	
		DRAWN : HK. SUNADORI	20091112		
		DESIGNED	KS. NAKAJIMA	CHECKED	HT. YAMAGUCHI
		DATE	20200803		

Added precaution

Sep.1.2021 Copyright 2021 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.





Sep.1.2021 Copyright 2021 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

【 Precaution 】

When a board with multiple connectors mounted is mated, the connector may be damaged or deformed.
Please divide one side of the board so only one connector is mated per board.

OK

NG



HRS

DRAWING NO.	EDC-151169-92-22
PART NO.	FX8C-40P-SV6(92)
CODE NO.	CL578-0609-5-92

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[FX8C-40P-SV6\(92\)](#)