





COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE

UNREELING DIRECTION




REEL DIMENSION



DETAIL OF TAPE FOR VACUUM PICKUP(5:1)

△ DIMENSION TABLE OF EMBOSSED CARRIER TAPE AND REEL.

PART No.	CODE No.	2	3	A	B	C	D	E	F
FX8C- 60S-SV(93)	CL578-0801-2-93	60	X	20	25	20.2	40.4	44	44.4
FX8C- 80S-SV(93)	CL578-0803-8-93	80	X	26	31	20.2	40.4	44	44.4
FX8C-100S-SV(93)	CL578-0805-3-93	100	X	32	37	26.2	52.4	56	56.4
FX8C-120S-SV(93)	CL578-0806-6-93	120	—	38	43	26.2	52.4	56	56.4
FX8C-140S-SV(93)	CL578-0807-9-93	140	—	44	49	34.2	68.4	72	72.4



NOTE 1. 1 REEL : 1000 CONNECTORS
2 NUMBER OF CONTACTS
3 EXISTENCE
X : PRODUCED, - : NO PRODUCED

TO
PCK

2	POLYESTER	(TOP COVER TAPE)	4	POLYIMIDE	(TAPE FOR VACUUM PICKUP)
1	PS	(EMBOSSED CARRIER TAPE)	3		(CONNECTOR)
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
CODE NO. (OLD) CL					
		DRAWN	DESIGNED	CHECKED	APPROVED
		S. SUZUKI	K. NAKAMURA	H. OKAWA	Y. YOSHIMURA
		03.02.07	03.02.17	03.02.18	03.02.19
		RELEASED			

DRAWING NO. EDC3-151022-23		PART NO. FX8C- * S-SV(93)	
SCALE FREE		CODE NO.	
UNITS mm		CL578	

HIROSE ELECTRIC CO., LTD

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[FX8C-140S-SV\(93\)](#)