

1		2			3			4		
COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	COUNT	DESCRIPTION OF REVISIONS	BY	CHKD	DATE	
△					△					
△					△					
△					△					

Technical drawing of a connector assembly. The drawing includes a top view and a side view. The top view shows an octagonal flange with a central hole and a threaded pin. The side view shows the internal components, including a central pin and several press fittings. Dimensions are provided for various parts, such as diameters (e.g., 8±0.2, 5.48±0.15) and lengths (e.g., 7±0.2, 10±0.2). Callouts 1 through 12 identify specific components. A detail view of a rectangular part is shown with dimensions (2:1) and (15).

6	BERYLLIUM COPPER	GOLD	12	POLYOLEFIN	HEAT SHRINK TUBING
5	PHOSPHOR BRONZE	GOLD	11	COPPER	NICKEL
4	PHOSPHOR BRONZE	NICKEL	10	BRONZE	NICKEL
3	BERYLLIUM COPPER	GOLD	9	PTFE	
2	PHOSPHOR BRONZE	NICKEL	8	PTFE	
1	PHOSPHOR BRONZE	NICKEL	7	STAINLESS	GOLD

NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
6	BERYLLIUM COPPER	GOLD	12	POLYOLEFIN	HEAT SHRINK TUBING
5	PHOSPHOR BRONZE	GOLD	11	COPPER	NICKEL
4	PHOSPHOR BRONZE	NICKEL	10	BRONZE	NICKEL
3	BERYLLIUM COPPER	GOLD	9	PTFE	
2	PHOSPHOR BRONZE	NICKEL	8	PTFE	
1	PHOSPHOR BRONZE	NICKEL	7	STAINLESS	GOLD

CODE NO. (OLD)	DRAWN	DESIGNED	CHECKED	APPROVED	RELEASED
	<i>K. Hida</i>	<i>K. Hida</i>	<i>K. Hida</i>	<i>Y. Miyake</i>	
	02.8.2	02.8.2	02.8.2	02.8.4	

DRAWING NO.	PART NO.
EDC4-180289	MS-156-C(LP)-2

UNITS	CODE NO.	1/1
mm	CL358-0174-3	1/1

FORM NO.228

TO
RFD

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[MS-156-C\(LP\)-2](#)