





Sep.1.2021 Copyright 2021 HIROSE ELECTRIC CO., LTD. All Rights Reserved.
In case of consideration for using Automotive equipment / device which demand high reliability, kindly contact our sales window correspondents.

TO
R

A
B
C
D
E
F



- NOTES
- 1 SURFACE PLATING : GOLD PLATING 0.2 μ m min.
UNDER PLATING : NICKEL PLATING 2 μ m min.
 - 2 THE RECOMMENDED CLAMP TORQUE OF REF.NO.⑦: 2 N·m.
LOCTITE 271,HENKEL JAPAN IS RECOMMENDED TO REF.NO.⑦FROM LOOSENING.

4	PHOSPHOR BRONZE	TIN PLATING	7	BRASS	NICKLE PLATING
3	PBT	(BLACK) UL94V-0	6	PHOSPHOR BRONZE	NICKLE PLATING
2	PHOSPHOR BRONZE	①	5	STAINLESS STEEL	
1	ALUMINUM ALLOY	NICKEL PLATING			
NO.	MATERIAL	FINISH, REMARKS	NO.	MATERIAL	FINISH, REMARKS
CODE NO. (OLD)			DRAWN	DESIGNED	CHECKED
			M.HANYU	H.NAGANO	E.KUNII
			'05 8.26	'05 8.26	'05 8.26
DRAWING NO.			PART NO.		
EDC3-110280-71			MXR-8RA-6S(71)		
SCALE			CODE NO.		
4 : 1			CL127-0123-8-71		
UNITS					
mm					
HRS					
HIROSE ELECTRIC CO., LTD					

A
B
C
D
E
F

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Hirose Electric:](#)

[MXR-8RA-6S\(71\)](#)