


THIS DRAWING COVERS A PROPRIETARY ITEM AND IS THE PROPERTY OF MICRO SWITCH. A DIVISION OF HONEYWELL. THIS DRAWING IS NOT TO BE COPIED OR USED WITHOUT THE APPROVAL OF MICRO SWITCH

4	CIRCUIT MADE WITH BUTTON DEPRESSED ON 3			
CATALOG LISTING	LUG SIDE (1-2, 4-5)	CENTER (1-2, 4-5)	OPPOSITE LUG (2-3, 5-6)	ELECTRICAL DATA
	ON	OFF	ON	^{L191} 15A 125, <u>250</u> , 277 VAC
	OFF	NONE	ON	1/2HP 125 VAC
	ON	NONE	ON	IHP <u>250</u> , 277 VAC €€ 5A 125 VAC "L"
	NONE	OFF	ON	
	NONE	0 N	ON	71 @
	MOM OFF	NONE	ON	
	MOM ON	OFF	ON	L192 IOA 125, <u>250</u> , 277 VAC
	MOM ON	NONE	OFF	1/4HP 125 VAC
2TP91-7-	MOM ON	OFF	MOM ON	1/2HP <u>250</u> , 277 VAC €€ 3A 1 25 VAC "L"
	MOM ON	NONE	ON	
	NONE	ON	MOM ON	71 ©
	MOM ON	OFF	NONE	

BUTTON COLOR CODE 5				
COLOR IDENTIFICATION	COLOR			
W	WHITE			
R	RED			
Y	YELLOW			
ВК	BLACK			
G	GREEN			
BL	BLUE			
Ţ	TRANSPARENT			

I - SWITCH WILL WITHSTAND TEMPERATURE OF 160°F

2 - MICRO SWITCH CAT. LIST. MARKED ON SIDE OF SWITCH APPLIES ONLY TO "ON" AND "MOMENTARY ON" POSITIONS SUFFIX MUST BE ADDED FOR DESIRED BUTTON COLOR



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Honeywell: 2TP91-7-BK