



































GS S





C	ZINC DIECAST BODY AND HEAD WITH STEEL COVER, BODY AND COVER FINISHED IN RED EPOXY PAINT HEAD FINISHED IN BLACK EPOXY PAINT
D	RED GLASS FILLED POLYESTER HOUSING AND COVER, ZINC DIECAST HEAD FINISHED IN BLACK EPOXY PAINT
E	ZINC DIECAST BODY AND HEAD WITH STEEL COVER, BODY AND COVER FINISHED IN RED EPOXY PAINT, HEAD FINISHED IN BLACK EPOXY PAINT 3 - CONDUIT

CONDUIT THREAD	
A	1/2" NPT X 1/4 CONDUIT THREAD ADAPTER REQUIRED FOR GSD AND GSE PRODUCT 
B	PG 13.5 CONDUIT THREAD NO ADAPTER REQUIRED
C	M20 X 1.5 CONDUIT THREAD ADAPTER REQUIRED WITH GSD PRODUCT ONLY 
D	PF 1/2 CONDUIT THREAD ADAPTER REQUIRED WITH GSD PRODUCT ONLY 

SWITCH CODE	
AVAILABLE IN GSC, GSD, AND GSE	AVAILABLE IN GSE ONLY
01 SNAP-ACTION CONTACTS 	40 SLOW-ACTION CONTACTS (BREAK BEFORE MAKE) 
07 SNAP-ACTION CONTACTS (GOLD PLATED CONTACTS) 	41 SLOW-ACTION CONTACTS (BREAK BEFORE MAKE) (GOLD PLATED CONTACTS) 
03 SLOW-ACTION CONTACTS (BREAK BEFORE MAKE) 	42 SLOW-ACTION CONTACTS (BREAK BEFORE MAKE) 
33 SLOW-ACTION CONTACTS (BREAK BEFORE MAKE) (GOLD PLATED CONTACTS) 	43 SLOW-ACTION CONTACTS (BREAK BEFORE MAKE) (GOLD PLATED CONTACTS) 
06 SLOW-ACTION CONTACTS (2 NORMALLY CLOSED) 	44 SLOW-ACTION CONTACTS (BREAK BEFORE MAKE) 
36 SLOW-ACTION CONTACTS (2 NORMALLY CLOSED) (GOLD PLATED CONTACTS) 	45 SLOW-ACTION CONTACTS (BREAK BEFORE MAKE) (GOLD PLATED CONTACTS) 
	46 SLOW-ACTION CONTACTS (BREAK BEFORE MAKE) 
	47 SLOW-ACTION CONTACTS (BREAK BEFORE MAKE) (GOLD PLATED CONTACTS) 

AVAILABLE IN GSC, GSD, AND GSE	
CODE 1 , LEVER TO LEFT	
	WITH SWITCH CODE 01 & 07 BASIC
	WITH SWITCH CODE 03 & 33 BASIC
	WITH SWITCH CODE 06 & 36 BASIC
CODE 2 , LEVER TO TOP	
	WITH SWITCH CODE 01 & 07 BASIC
	WITH SWITCH CODE 03 & 33 BASIC
	WITH SWITCH CODE 06 & 36 BASIC
CODE 3 , LEVER TO RIGHT	
	WITH SWITCH CODE 01 & 07 BASIC
	WITH SWITCH CODE 03 & 33 BASIC
	WITH SWITCH CODE 06 & 36 BASIC

AVAILABLE IN GSE ONLY	
CODE 1 , LEVER TO LEFT	
	WITH SWITCH CODE 40 & 41 BASIC
	WITH SWITCH CODE 42 & 43 BASIC
	WITH SWITCH CODE 44 & 45 BASIC
	WITH SWITCH CODE 46 & 47 BASIC
CODE 2 , LEVER TO TOP	
	WITH SWITCH CODE 40 & 41 BASIC
	WITH SWITCH CODE 42 & 43 BASIC
	WITH SWITCH CODE 44 & 45 BASIC
	WITH SWITCH CODE 46 & 47 BASIC

AVAILABLE IN GSE ONLY	
CODE 3 , LEVER TO RIGHT	
	WITH SWITCH CODE 40 & 41 BASIC
	WITH SWITCH CODE 42 & 43 BASIC
	WITH SWITCH CODE 44 & 45 BASIC
	WITH SWITCH CODE 46 & 47 BASIC

NOTES:
 1 - MAXIMUM OPERATING TORQUE - 12 Nm / 11 in-lb
 MAXIMUM DISCONNECT TORQUE - 16 Nm / 15 in-lb
 MAXIMUM TIGHTENING TORQUE FOR FIXING SCREW - 0.5Nm/4.4in-lb (GSC & GSE PRODUCTS)
 0.339Nm/3 in-lb (GSD PRODUCTS)
 1P66/1P67 NEMA 1,4X(INDOOR USE ONLY),12,13 FOR GSD PRODUCTS

ELECTRICAL RATING - 1th = 10A			ENVIRONMENTAL	APPROVALS
SILVER CONTACTS		GOLD PLATED CONTACTS		
AC FOR SWITCH CODES 01, 07, 03, 33	AC FOR SWITCH CODES 06,36,40,41,42,43,44,45,46,47	DC	IP66 NEMA 1, 4, 12, 13 TEMP RANGE: -40°C TO +85°C -40°F TO +185°F STORAGE: -40°C TO +85°C -40°F TO +185°F SHOCK: 50G PER IEC 68-2-27 VIBRATION: 100G PER IEC 68-2-6	UL IEC 947-5-1 EN50047
A600 AC15 Ue Ie	A300 AC15 Ue Ie	Q300 DC13 Ue Ie		
VOLTS AMPS 120 6 240 3 380 1.9 480 1.5 500 1.4 600 1.2	VOLTS AMPS 120 6 240 3	VOLTS AMPS 125 0.55 250 0.27	1V 10uA MIN 50V 100mA MAX	

CONTACT CLOSED
 CONTACT OPEN
 ** POSITIVE OPENING TO IEC 947-5-1

M	GS SERIES CHART 2
----------	--------------------------



THIRD ANGLE PROJECTION			
			
SCALE		FULL	
DO NOT SCALE PRINT			
TOLERANCES			
APPLY TO DESIGN UNITS. CONVERSIONS ARE ONLY FOR REFERENCE. UNLESS NOTED, TOLERANCES ARE 1			
DIM. TOL. NO PLACES ONE PLACE TWO PLACES THREE PLACES DESIGNS		DIM. TOL. NO PLACES ONE PLACE TWO PLACES THREE PLACES DESIGNS	
1/16 1/32 1/64 1/128 1/256 1/512 1/1024 1/2048 1/4096 1/8192 1/16384 1/32768 1/65536 1/131072 1/262144 1/524288 1/1048576 1/2097152 1/4194304 1/8388608 1/16777216 1/33554432 1/67108864 1/134217728 1/268435456 1/536870912 1/1073741824 1/2147483648 1/4294967296 1/8589934592 1/17179869184 1/34359738368 1/68719476736 1/137438953472 1/274877906944 1/549755813888 1/1099511627776 1/2199023255552 1/4398046511104 1/8796093022208 1/17592186044416 1/35184372088832 1/70368744177664 1/140737488355328 1/281474976710656 1/562949953421312 1/1125899906842624 1/2251799813685248 1/4503599627370496 1/9007199254740992 1/18014398509481984 1/36028797018963968 1/72057594037927936 1/144115188075855872 1/288230376151711744 1/576460752303423488 1/1152921504606846976 1/2305843009213693952 1/4611686018427387904 1/9223372036854775808 1/18446744073709551616 1/36893488147419103232 1/73786976294838206464 1/147573952589676412928 1/295147905179352825856 1/590295810358705651712 1/1180591620717411303424 1/2361183241434822606848 1/4722366482869645213696 1/9444732965739290427392 1/18889465931478580854784 1/37778931862957161709568 1/75557863725914323419136 1/151115727451828646838272 1/302231454903657293676544 1/604462909807314587353088 1/1208925819614629174706176 1/2417851639229258349412352 1/4835703278458516698824704 1/9671406556917033397649408 1/19342813113834066795298816 1/38685626227668133590597632 1/77371252455336267181195264 1/154742504910672534362390528 1/309485009821345068724781056 1/618970019642690137449562112 1/1237940039285380274899124224 1/2475880078570760549798248448 1/4951760157141521099596496896 1/9903520314283042199192993792 1/19807040628566084398385987584 1/39614081257132168796771975168 1/79228162514264337593543950336 1/158456325028528675187087900672 1/316912650057057350374175801344 1/633825300114114700748351602688 1/1267650600228229401496703205376 1/2535301200456458802993406410752 1/5070602400912917605986812821504 1/10141204801825835211973625643008 1/20282409603651670423947251286016 1/40564819207303340847894502572032 1/81129638414606681695789005144064 1/162259276829213363391578010288128 1/324518553658426726783156020576256 1/649037107316853453566312041152512 1/1298074214633706907132624082305024 1/2596148429267413814265248164610048 1/5192296858534827628530496329220096 1/10384593717069655257060992658440192 1/20769187434139310514121985316880384 1/41538374868278621028243970633760768 1/83076749736557242056487941267521536 1/166153499473114484112975882535043072 1/332306998946228968225951765070086144 1/664613997892457936451903530140172288 1/1329227995784915872903807060280344704 1/2658455991569831745807614120560689408 1/5316911983139663491615228241121378816 1/10633823966279326983230456482242757632 1/21267647932558653966460912964485515264 1/42535295865117307932921825928971030528 1/85070591730234615865843651857942061056 1/170141183460469231731687303715884122112 1/340282366920938463463374607431768244224 1/680564733841876926926749214863536488448 1/1361129467683753853853498429727072976896 1/2722258935367507707706996859454145953792 1/5444517870735015415413993718908291907584 1/10889035741470030830827987437816583815168 1/21778071482940061661655974875633167630336 1/43556142965880123323311949751266335260672 1/87112285931760246646623899502532670521344 1/174224571863520493293247799005065341042688 1/348449143727040986586495598010130682085376 1/696898287454081973172991196020261364170752 1/1393796574908163946345982392040522728341504 1/2787593149816327892691964784081045456683008 1/5575186299632655785383929568162090913366016 1/11150372599265311570767859136324181826732032 1/223007451985306231415			

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Honeywell:

[GSDB03S1](#) [GSDB03S2](#) [GSDB03S3](#) [GSDB03S3-1](#) [GSDB06S1](#) [GSDB06S2](#) [GSDB06S3](#) [GSEA24A1B](#) [GSEA24D](#)
[GSEA44S2](#) [GSDA03S1](#) [GSDA06S1](#) [GSEA06S1](#) [GSDA06S3](#) [GSDC06S3](#) [GSDA06S2](#) [GSDA03S2](#) [GSEB01D](#)
[GSEA44S1](#) [GSDA03S3](#) [GSEA44S3](#) [GSDC01D](#) [GSCA33S1](#) [GSEC46S3](#) [GSEC46S2](#) [GSEA40S2](#) [GSEC46S1](#)