

IAR Embedded Workbench® for STM8

IAR Embedded Workbench is a set of highly sophisticated and easy-to-use development tools for embedded applications. It integrates the IAR C Compiler™, assembler, linker, librarian, text editor, project manager, and C-SPY® Debugger in an integrated development environment (IDE). With its built-in chip-specific code optimizer, IAR Embedded Workbench generates very efficient and reliable FLASH/PROMable code for STM8 devices. In addition to this solid technology, IAR Systems also provides professional worldwide technical support.

MODULAR AND EXTENSIBLE IDE

- A seamlessly integrated environment for building and debugging embedded applications
- Powerful project management allowing multiple projects in one workspace
- Build integration with IAR visualSTATE
- Hierarchical project representation
- Dockable and floating windows management
- Smart source browser
- Feature-rich editor with code templates and multi-byte support
- Tool options configurable on global, group of source files, or individual source files level
- Flexible project building via batch build, pre/post-build or custom build with access to external tools in the build process
- Integration with source code control systems
- Extensive device support with ready-made header files, device description files and linker command files
- Ready-made code and project examples


HIGHLY OPTIMIZING C COMPILER


- ISO/ANSI C compiler
- Support for the C99 standard
- Full support for the STM8A, STM8L and STM8S families
- Up-to-date device support list available at www.iar.com/ewstm8
- Automatic checking of MISRA C rules
- Language extensions for embedded applications with target-specific support:
 - Extended keywords for data/functions defining and declaring with memory/type attributers

- Pragma directives for controlling the compiler's behavior, such as how it allocates memory
- Intrinsic functions for direct access in C source to lowlevel processor operations
- Efficient interrupt handling directly in C
- 32-bit IEEE-compatible floating-point arithmetic
- Mixed C and assembler listings
- Support for inline assembler
- Highly optimized reentrant code models making the project portable between different targets
- Multiple levels of optimizations on code size and execution speed allowing different transformations enabled, such as function inlining, loop unrolling etc.
- Advanced global and target-specific optimizer generating the most compact and stable code
- Multi-file compilation support

STATE-OF-THE-ART C-SPY® DEBUGGER

- Complex code and data breakpoints
- Very fine granularity execution control (function call-level stepping)
- Stack window to monitor the memory consumption and integrity of the stack
- Complete support for stack unwinding even at high optimization levels
- Profiling and code coverage performance analysis tools
- Trace utility with expressions to examine execution history
- Versatile monitoring of registers, structures, call chain, locals, global variables and peripheral registers
- Symbolic memory window and static watch window





- I/O and interrupt simulation
- True editing-while-debugging
- Convenient file/function/variable accessing in different windows with drag and drop model
- RTOS-aware debugging with built-in plugins for OSEK Run Time Interface (ORTI)
- Hardware debugging support for the ST-LINK debugger probe and STice emulator
- C-SPY Debugger simulator:
 - Instruction-level simulation
 - Memory configuration and validation
 - Interrupt simulation
 - Peripheral simulation, using the debugger macro system in conjunction with immediate breakpoints

IAR ASSEMBLER


- A powerful relocating macro assembler with a versatile set of directives and operators
- Built-in C language preprocessor, accepting all C macro definitions

IAR ILINK LINKER

- Complete linking, relocation and format generation to produce FLASH/PROMable code
- Flexible commands allowing detailed control of code and data placement
- Optimized linking removing unused code and data
- Direct linking of raw binary images, for instance multimedia files
- Optional code checksum generation for runtime checking
- Comprehensive cross-reference and dependency memory maps

IAR LIBRARY AND LIBRARY TOOLS

- All required ISO/ANSI C libraries included
- All low-level routines such as writechar and readchar provided in full source code
- Lightweight runtime library, user-configurable to match the needs of the application; full source included
- Library tools for creating and maintaining library projects, libraries and library modules



- Listings of entry points and symbolic information

COMPREHENSIVE DOCUMENTATION

- PDF user guides with detailed information
- Efficient coding hints for embedded application
- Extensive step-by-step tutorials
- Context sensitive help and hypertext versions of the user documentation available online

FREE EVALUATION SOFTWARE

Free evaluation softwares—30-day evaluation version is available at <http://www.iar.com/ewstm8>.

For the latest product news, up-to-date device support list, hardware debugging support and related tools, please visit <http://www.iar.com/ewstm8>

IAR visualSTATE®

IAR visualSTATE is a suite of graphical design automation tools for embedded systems.

- Design an embedded application by drawing objects, events, actions etc in a flowchart-like manner
- Perform extensive tests before committing to hardware: validation of the application behavior, regression testing, verification of the run-time model and simulation on-chip

- Automatically generate micro-tight C/C++ code that is 100% consistent with your design as well as complete design documentation

Together with IAR Embedded Workbench, IAR visualSTATE forms a complete set of development tools for the STM8 microcontrollers, supporting you through the entire development process.

From Idea to Target®

www.iar.com

IAR Systems, IAR Embedded Workbench, C-SPY, visualSTATE, From Idea to Target, IAR KickStart Kit, IAR PowerPac, IAR YellowSuite, IAR Advanced Development Kit, IAR and the IAR Systems logotype are trademarks or registered trademarks owned by IAR Systems AB. J-Link is a trademark licensed to IAR Systems AB. All other trademarks or registered trademarks mentioned in this document are the property of their respective owners and no rights are claimed for these. ©Copyright 2010 owned by IAR Systems.

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

IAR Systems:

[EWSTM8-MB](#)