# Evaluation kit for EiceDRIVER™ 1EDN7511B single-channel low-side non-isolated gate driver IC

Vincent Chi Zhang (IFAT PMM ACDC AE) Menditti Matrisciano Carmen (IFAT PMM ACDC AE) Florian Zechner (IFAT PMM ACDC AE)





## General description

### Introduction

This evaluation kit provides a test platform for Infineon's single-channel non-isolated gate driver IC EiceDRIVER™ 1EDN7511B in SOT-23 6pin package.

The complete driving circuitry is integrated into the board to allow a simple and practical step-by-step discovery of the 1EDN7511B characteristic and to evaluate the influence of the surrounding driving circuitry on the signal delivered to the load. The load is a low-side MOSFET in TO-220 package; CoolMOS™ or OptiMOS™ power MOSFET solutions from Infineon can be selected.

As shown in the quick start guide, the easiest and immediate way-to-use the board is with zero-power applied to the MOSFETs. In that operating condition, the 1EDN7511B load is equivalent to a pure RC filter. Testing with different MOSFETs is a suggested option to evaluate and understand the impact of the MOSFETs input capacitance on the driving timing behavior.


Additionally, the possibility to power-up the MOSFETs and then, trigger the switch of the devices, is purposely provided through banana connectors. An external circuitry must be properly built in that case to provide the bulk voltage and limit the current. Furthermore, pads for a possible connection to a daughter card are included.

### **Summary of features:**

- > Complete and easy-to-use solution platform integrating Infineon's 1EDN7511B EiceDRIVER™ gate driver IC and CoolMOS™ or OptiMOS™ power MOSFET
- Possible to evaluate the influence of the gate load (Rg or Cgs) on the driving behavior of the 1EDN7511B
- Easy to replace and test different power MOSFETs in TO-220 package



### Kit schematic







# Steps for mounting the heatsink

### The following components need to be added to the kit:

Distance bolts

TO-220 socket

Source resistor

TO-220 MOSFET


Sink resistor

Step 1
Distance bolts mounting

Step 5
MOSFETs placement into the socket



Step 2 Source resistor soldering



Step 5
MOSFET placement into the socket



Step 3
Sink resistor soldering



Step 7
IN- jumper connection



Step 4 TO-220 socket soldering



For detailed information on how to fully assemble the kit, download the Quick Start Guide here



# Cross reference

Sales_product_name	Gate Driver	Channel	Isolation	Package
KIT_DRIVER_1EDN7511B	1EDN7511B	1	Non-isolated	SOT-23 6pin
KIT_DRIVER_1EDN7512B	1EDN7512B	1	Non-isolated	SOT-23 5pin
KIT_DRIVER_1EDN7512G	1EDN7512G	1	Non-isolated	WSON 6pin
KIT_DRIVER_1EDN7550B	1EDN7550B /1EDN8550B	1	Non-isolated	SOT-23 6pin
KIT_DRIVER_2EDN7524F	2EDN7524F	2	Non-isolated	DSO 8pin
KIT_DRIVER_2EDN7524R	2EDN7524R	2	Non-isolated	TSSOP 8pin
KIT_DRIVER_2EDN7524G	2EDN7524G	2	Non-isolated	WSON 8pin
KIT_DRIVER_2EDF7275F	2EDF7275F	2	Functional isolation	NB-DSO-16 150mil
KIT_DRIVER_2EDS8265H	2EDS8265H	2	Reinforced isolaton	WB-DSO-16 300mil





# Support

### **Technical Material**

- Application Notes
- Simulation Models
- Datasheets
- PCB Design Data

> www.infineon.com/kit-driver-1edn7511b

# Evaluation Boards

- Evaluation Boards
- Demoboards
- Reference Designs

www.infineon.com/evaluationboards

### Videos


- Technical Videos
- Product InformationVideos

www.infineon.com/mediacenter

# Support Online tools and services







Linear Voltage Regulator

DC-DC Converter LED Driver | Lighting ICs

Silicon Carbide (SiC)

High Power Thyristors & Diodes

Motor Control & Gate Driver AC-DC Supply

Subscribe to **Newsletter** 

Where to Buy

Tools, Finders and Selectors

Support

News & Tweets

Technology

RF & Wireless Control

Security IC

Sensor Smart Card IC

Interface

Transistor & Diode



Part of your life. Part of tomorrow.



### **Mouser Electronics**

**Authorized Distributor** 

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Infineon:

KITDRIVER1EDN7511BTOBO1