

\*TO BE MEASURED ON LONGEST SIDE ONLY WITH THE WIRE IN INTIMATE CONTACT WITH THE BOTTOM OF THE GLASS WEDGE.

JKL LAMP NUMBER	VOLTS RATED	AMPS ±10%	*MSCP ±25%	*LUMENS ±25%	AVERAGE LIFE HRS.	FILAMENT TYPE	
127	2.47	.275	.48	6.03	30	C-2R	
159	6.3	.150	.33	4.15	20,000	C-2R	
259	6.3	.250	.65	8.17	10,000	C-2R	
555	6.3	.250	.90	11.31	3,000	C-2R	
658	14.0	.080	.31	3.90	15,000	C-2F	
161	14.0	.190	1.00	12.57	4,000	C-2F	
158	14.0	.240	2.00	25.14	500	C-2V	
194	14.0	.270	2.00	25.14	2,500	C-2F	
193	14.0	.330	2.00	25.14	7,500	C-2F	
168	14.0	.350	3.00	37.71	1,500	C-2F	
585	28.0	.040	.30	3.77	7,000	C-2F	
656	28.0	.060	.62	7.79	2,500	C-2F	
657	28.0	.080	.62	7.79	15,000	C-2F	
400	28.0	.100	1.60	20.11	1,000	C-2F	
464	28.0	.170	3.00	37.71	1,500	C-2F	
655	28.0	.200	3.00	37.71	7,000	C-2F	

			METRIC	DIMENSIO			IK		NENTS COR	σωσνά	ION
			⊕ <del>_</del> +	TOLERANC	E UNLESS					IUNAI	
	1	I	$  \Psi \cup  $	1 PL +/-							
			THIRD ANGLE	2 PL +/-			T-3 1/4	STANDARD (	GLASS WEDG	SE BASE	
			PROJECTION	ANGLE +/-							
			DRAWN BY	APPV'D BY	DATE	SIZE	FSCM NO.				- <i></i>
Α	DELETE REPEATED DIM.	3/26/01	L. WENGSTROM	J.K.	3/26/01		55335	I <sup>NO.</sup> GLAS	S WEDGE B	ASE T-	3 1/4
	RELEASED & CANCEL GW-STD-T3 1/4, 447 & 509	5/17/00	- CAD DRAWING -		SCALE		RELEASED	REVISION	REV.	SHEET	
REV.	DESCRIPTION/ECO	APPV'D	- CAD DRAWING -			CORLE			DATE 3/25/01		4 4
NO.	NUMBER	DATE	MANUAL REVISIONS NOT PERMITTED				NONE	DATE 5/17/00	3/25/01		I OF I

## **Mouser Electronics**

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

JKL Components:

658 168 193 194 259 400 555 655 656 657 127 464 585 161 158 159