

TAPE AND REEL SPECIFICATIONS:


1. TAPE:

MAT'L - ALL CONDUCTIVE POLYSTYRENE CARRIER ANSI/EIA-481 STANDARD

2 REEL:

13.0 [330.2] DIA. 350 PIECES OF PART NO. 1057 (REV. J) PER REEL.

			KEYSTONE ELECTRONICS CORP. www.keyelco.com • NEW HYDE PARK NY 11040 • Tel (516)328-7500		
7 1 4 0 4	TAPE WAS HOLD 400 PCS REV.H		PART NAME 2032mm COIN CELL HOLDER ON TAPE&REEL		
3.14.24	CHANGE AS PER PCN 24-021 ADD REV. H TO P/N 1057		MATERIAL AS NOTED		
11.06.14	CHANGE AS PER ECN14-115	В	FINISH AS NOTED	NT	5.28.13
	TAPE WIDTH WAS 44mm		, WINOTED	APP'D MR	SCALE X
6.10.13	CHANGE AS PER ECN 13-045	Α	TOLERANCES INCH [MM] CODE DECIMAL ± .015 [± 0.38]	DWG NO.	
DATE	DESCRIPTION	REV.	ANGULAR ± 1° C UNLESS OTHERWISE SPECIFIED	1057TR	



Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Keystone Electronics:

1057TR