

NOTE:

1. TAPE AND REEL SPECIFICATIONS:

TAPE: MAT'L - ALL CONDUCTIVE POLYSTYRENE CARRIER


ANSI/EIA-481 STANDARD, 16 MM WIDE; 8 MM PITCH

REEL: 13.0 [1330] DIA. 2000 PIECES OF P/N 110 REV. E PER REEL.

12.11.14	CHANGE AS PER ECN 14-122	A
DATE	DESCRIPTION	REV.

KEYSTONE ELECTRONICS CORP.			
www.keyelco.com • ASTORIA, N.Y. 11105-2017 • Tel (718) 956-8900			
PART NAME CONTACT ON TAPE AND REEL			
MATERIAL AS NOTED			
FINISH AS NOTED		DRN BY HAMILTON	DATE 10.07.13
		APP'D LN	SCALE N/A
TOLERANCES	INCH [MM]	CODE	DWG NO.
DECIMAL	±.010 [±0.25]	C	110TR
ANGULAR	± 1°		
UNLESS OTHERWISE SPECIFIED			


COIN CELL TO BE
CENTERED ON
NEGATIVE CONATCT



MTG LAY OUT WHEN USE WITH P/N 118


BATTERY DIA.	L
12mm	.213 [5.4]
16mm	.291 [7.4]

COIN CELL TO BE
CENTERED ON
NEGATIVE CONATCT



MTG LAY OUT WHEN USE WITH P/N 112

BATTERY DIA.	L
20mm	.370 [9.4]
23mm	.429 [10.9]
24mm	.448 [11.4]
30mm	.567 [14.4]



ACTUAL SIZE

9.21.15	CHANGE AS PER ECN 15-106	F
12.11.14	CHANGE AS PER ECN14-120	E
9.30.14	CHANGE AS PER ECN14-105	D
7.24.14	CHANGE AS PER ECN14-076	C
1.29.14	CHANGE AS PER ECN14-011	B
12.02.13	CHANGE AS PER ECN 13-105	A
DATE	DESCRIPTION	REV.

KEYSTONE ELECTRONICS CORP.		
www.keyelco.com • NEW HYDE PARK, NY 11040 • Tel (516) 328-7500		
PART NAME		
POSITIVE BATTERY CONTACT		
MATERIAL		
.006 [0.15] TH'K STAINLESS STEEL		
FINISH		DRN BY
GOLD PLATE		NT
TOLERANCES		DATE
DECIMAL		10.07.13
ANGULAR		SCALE
± 1°		5X
UNLESS OTHERWISE SPECIFIED		CODE
C		DWG NO.
110		

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[Keystone Electronics:](#)

[110TR](#)