

NOTES:

TAPE AND REEL SPECIFICATIONS:


1. TAPE:

MAT'L - ALL CONDUCTIVE POLYSTYRENE CARRIER ANSI/EIA-481 STANDARD

2. REEL:

13 0 [330 2] DIA 500 PIECES OF


	PART NO. 3034 PER REEL.						
				KEYSTONE ELECTRONICS CORP. www.keyelco.com • NEW HYDE PARK, NY 11040 • Tel (516) 328-7500			
			PART NAME SM COIN CELL CLIP ON TAPE				
				MATERIAL AS NOTED			
				AS NOTED	DRN BY NT APP'D LN	DATE 6.15.11 SCALE X	
3.02.11	CHANGE AS PER ECN 11-0)97	Α	TOLERANCES INCH [MM] CODE DECIMAL ± .015 [± 0.38]	DWG NO.	Λ	
DATE	DESCRIPTION	R	REV.	DECIMAL ± .015 [± 0.38] ANGULAR ± 1° UNLESS OTHERWISE SPECIFIED	30	34TR	



THIS DOCUMENT IS THE PROPERTY OF KEYSTONE ELECTRONICS CORP. AND SHALL NOT BE REPRODUCED, DISTRIBUTED OR USED AS A BASIS FOR MANUFACTURE WITHOUT PRIOR WRITTEN PERMISSION FROM KEYSTONE ELECTRONICS CORP.

ACTUAL SIZE





	STAMP (F1) WAS NOT CUT THRU MAT'I				
6.23.20	STAMP (E1) WAS NOT CUT THRU MAT'L CHANGE AS PER ECN 20-060	Ε			
1.17.19	CHANGE AS PER ECN 19-003	D			
4.25.14	CHANGE AS PER ECN 14-045	С			
6.16.11	CHANGE AS PER ECN 11-085	В			
3.08.11 CHANGE AS PER ECN 11-032					
DATE DESCRIPTION					

	KEYSTONE E	CLE	CTRONICS	S CORP.				
	www.keyelco.com • NEW HYDE PARK, NY 11040 • Tel (516) 328-7500							
	PART NAME							
-	COIN CELL RETAINER							
	MATERIAL							
	.010 [0.25] PHOSPHOR BRONZE							
-	FINISH	DRN BY NT	DATE 2.28.11					
	NICKEL PLATE		APP'D DII	SCALE				
			RH	2X				
	TOLERANCES INCH [MM]	CODE	DWG NO.					
	DECIMAL ± .010 [± 0.25] ANGULAR ± 1° UNLESS OTHERWISE SPECIFIED	С	3034					

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

Keystone Electronics: 3034TR